

Centre No.						Paper Reference							Surname	Initial(s)
Candidate No.						6	6	6	5	/	0	1	Signature	

Paper Reference(s)

6665/01

Edexcel GCE

Core Mathematics C3

Advanced Level

Monday 23 January 2006 – Afternoon

Time: 1 hour 30 minutes

Examiner's use only

--	--	--

Team Leader's use only

--	--	--

[illegible]

Materials required for examination

Mathematical Formulae (Green)

Items included with question papers

Nil

Candidates may use any calculator EXCEPT those with the facility for symbolic algebra, differentiation and/or integration. Thus candidates may NOT use calculators such as the Texas Instruments TI 89, TI 92, Casio CFX 9970G, Hewlett Packard HP 48G.

Instructions to Candidates

In the boxes above, write your centre number, candidate number, your surname, initial(s) and signature.

Check that you have the correct question paper.

You must write your answer for each question in the space following the question.

When a calculator is used, the answer should be given to an appropriate degree of accuracy.

Information for Candidates

A booklet 'Mathematical Formulae and Statistical Tables' is provided.

Full marks may be obtained for answers to ALL questions.

The marks for individual questions and the parts of questions are shown in round brackets: e.g. (2).

There are 8 questions in this question paper. The total mark for this paper is 75.

There are 20 pages in this question paper. Any blank pages are indicated.

Advice to Candidates

You must ensure that your answers to parts of questions are clearly labelled.

You must show sufficient working to make your methods clear to the examiner. Answers without working may gain no credit.

This publication may be reproduced only in accordance with Edexcel Limited copyright policy.
©2006 Edexcel Limited

Printer's Log. No.

Printer's Log. No.
N23495A

W850/R6665/57570 7/7/3/3/3/3/3



Turn over



1.

Figure 1




Figure 1 shows the graph of $y = f(x)$, $-5 \leq x \leq 5$.

The point $M(2, 4)$ is the maximum turning point of the graph.

Sketch, on separate diagrams, the graphs of

(a) $y = f(x) + 3$,

(2)

(b) $y = |f(x)|$,

(2)

(c) $y = f(|x|)$.

(3)

Show on each graph the coordinates of any maximum turning points.



Leave
blank

Question 1 continued

Q1

(Total 7 marks)



N 2 3 4 9 5 A 0 3 2 0

2. Express

$$\frac{2x^2 + 3x}{(2x+3)(x-2)} - \frac{6}{x^2 - x - 2}$$

as a single fraction in its simplest form.

(7)



Leave
blank

Question 2 continued

Q2

(Total 7 marks)



Leave
blank

- Find an equation of the normal to the curve at the point P in the form $y = ax + b$, where a and b are constants.

(5)

[illegible]

Q3

--	--

(Total 5 marks)



Leave
blank

- (i) $x^2 e^{3x+2}$,

(4)

(ii) $\frac{\cos(2x^3)}{3x}$.

(4)

- (b) Given that $x = 4 \sin(2y + 6)$, find $\frac{dy}{dx}$ in terms of x .

(5)

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Leave
blank

Question 4 continued

Q4

(Total 13 marks)



5.

(a) Show that the equation $f(x) = 0$ can be written as

$$x = \sqrt{\left(\frac{2}{x} + \frac{1}{2}\right)}. \quad (3)$$

The equation $2x^3 - x - 4 = 0$ has a root between 1.35 and 1.4.

(b) Use the iteration formula

$$x_{n+1} = \sqrt{\left(\frac{2}{x_n} + \frac{1}{2}\right)},$$

with $x_0 = 1.35$, to find, to 2 decimal places, the values of x_1 , x_2 and x_3 . (3)

The only real root of $f(x) = 0$ is α .

(c) By choosing a suitable interval, prove that $\alpha = 1.392$, to 3 decimal places. (3)

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The paper appears to be a standard notebook page or a sheet of stationery.

Leave
blank

Question 5 continued

Q5

(Total 9 marks)



Leave
blank

(4)

(5)

(1)

(2)

for $0 \leq x < 360^\circ$, giving your answers to one decimal place.

(ii) Find, to 2 decimal places, the smallest positive value of x for which this minimum value occurs.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Leave
blank

Question 6 continued

Q6

(Total 12 marks)



7. (a) Show that

$$(i) \quad \frac{\cos 2x}{\cos x + \sin x} \equiv \cos x - \sin x, \quad x \neq \left(n - \frac{1}{4}\right)\pi, \quad n \in \mathbb{Z}, \quad (2)$$

$$(ii) \quad \frac{1}{2}(\cos 2x - \sin 2x) \equiv \cos^2 x - \cos x \sin x - \frac{1}{2}. \quad (3)$$

(b) Hence, or otherwise, show that the equation

$$\cos \theta \left(\frac{\cos 2\theta}{\cos \theta + \sin \theta} \right) = \frac{1}{2}$$

can be written as

$$\sin 2\theta = \cos 2\theta. \quad (3)$$

(c) Solve, for $0 \leq \theta < 2\pi$,

$$\sin 2\theta = \cos 2\theta,$$

giving your answers in terms of π .

(4)



Leave
blank

Question 7 continued



Leave
blank

Leave
blank

Question 7 continued

Q7

(Total 12 marks)



8. The functions f and g are defined by

$$f: x \rightarrow 2x + \ln 2, \quad x \in \mathbb{R},$$

$$g: x \rightarrow e^{2x}, \quad x \in \mathbb{R}.$$

(a) Prove that the composite function gf is

$$\text{gf}: x \rightarrow 4e^{4x}, \quad x \in \mathbb{R}. \quad (4)$$

(b) In the space provided on page 19, sketch the curve with equation $y = gf(x)$, and show the coordinates of the point where the curve cuts the y -axis. **(1)**

(c) Write down the range of gf. (1)

(d) Find the value of x for which $\frac{d}{dx}[\text{gf}(x)] = 3$, giving your answer to 3 significant figures.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Leave
blank

Question 8 continued

[illegible]

Leave
blank

Question 8 continued

Q8

(Total 10 marks)

TOTAL FOR PAPER: 75 MARKS

END

