

Centre No.						Paper Reference							Surname	Initial(s)
Candidate No.						6	6	6	5	/	0	1	Signature	

Paper Reference(s)

6665/01

Edexcel GCE
Core Mathematics C3
Advanced Level

Thursday 14 June 2007 – Afternoon

Time: 1 hour 30 minutes

Examiner's use only

--	--	--

Team Leader's use only

--	--	--

[illegible]

Instructions to Candidates

In the boxes above, write your centre number, candidate number, your surname, initial(s) and signature. Check that you have the correct question paper.

You must write your answer for each question in the space following the question.

When a calculator is used, the answer should be given to an appropriate degree of accuracy.

Information for Candidates

A booklet ‘Mathematical Formulae and Statistical Tables’ is provided.

Full marks may be obtained for answers to ALL questions.

The marks for individual questions and the parts of questions are shown in round brackets: e.g. (2).

There are 8 questions in this question paper. The total mark for this paper is 75.

There are 24 pages in this question paper. Any blank pages are indicated.

Advice to Candidates

You must ensure that your answers to parts of questions are clearly labelled.

You should show sufficient working to make your methods clear to the Examiner.

Answers without working may not gain full credit.

This publication may be reproduced only in accordance with Edexcel Limited copyright policy.
©2007 Edexcel Limited.

Printer's Log. No.

Printer's Log. No.
N26109A

W850/R6665/57570 3/3/3/3/3/37.500



Turn over

edexcel 
advancing learning, changing lives

Leave
blank

1. Find the exact solutions to the equations

(a) $\ln x + \ln 3 = \ln 6$,

(2)

(b) $e^x + 3e^{-x} = 4$.

(4)



Leave
blank

(Total 6 marks)

Q1

3

Turn over



Leave
blank

$$f(x) = \frac{2x+3}{x+2} - \frac{9+2x}{2x^2+3x-2}, \quad x > \frac{1}{2}.$$

(a) Show that $f(x) = \frac{4x-6}{2x-1}$. (7)

(b) Hence, or otherwise, find $f'(x)$ in its simplest form. (3)



Leave
blank

Question 2 continued

Q2

(Total 10 marks)



Leave
blank

- $$y = x^2 e^x.$$

- (a) Find $\frac{dy}{dx}$, using the product rule for differentiation.

(3)

- (b) Hence find the coordinates of the turning points of C .

(3)

- (c) Find $\frac{d^2y}{dx^2}$.

(2)

- (d) Determine the nature of each turning point of the curve C .

(2)



Leave
blank

(Total 10 marks)

Q3



4.

(a) Show that the equation $f(x) = 0$ can be rewritten as

$$x = \sqrt{\left(\frac{1}{3-x}\right)}. \quad (2)$$

(b) Starting with $x_1 = 0.6$, use the iteration

$$x_{n+1} = \sqrt{\left(\frac{1}{3-x_n}\right)}$$

to calculate the values of x_2 , x_3 and x_4 , giving all your answers to 4 decimal places. (2)

(c) Show that $x = 0.653$ is a root of $f(x) = 0$ correct to 3 decimal places. (3)



Q4

--	--

(Total 7 marks)



Leave
blank

$$f : x \mapsto \ln(2x-1), \quad x \in \mathbb{R}, x > \frac{1}{2},$$

$$g: x \mapsto \frac{2}{x-3}, \quad x \in \mathbb{R}, x \neq 3.$$

- (a) Find the exact value of $fg(4)$. (2)
- (b) Find the inverse function $f^{-1}(x)$, stating its domain. (4)
- (c) Sketch the graph of $y = |g(x)|$. Indicate clearly the equation of the vertical asymptote and the coordinates of the point at which the graph crosses the y -axis. (3)
- (d) Find the exact values of x for which $\left| \frac{2}{x-3} \right| = 3$. (3)



Leave
blank

Question 5 continued

Lined area for writing answers.



Leave
blank

Leave
blank

6. (a) Express $3 \sin x + 2 \cos x$ in the form $R \sin(x + \alpha)$ where $R > 0$ and $0 < \alpha < \frac{\pi}{2}$. (4)

(b) Hence find the greatest value of $(3 \sin x + 2 \cos x)^4$. (2)

(c) Solve, for $0 < x < 2\pi$, the equation

$$3 \sin x + 2 \cos x = 1,$$

giving your answers to 3 decimal places. (5)



Leave
blank

Question 6 continued

Lined area for writing answers.



Leave
blank



Leave
blank

(Total 11 marks)

Q6



Leave
blank

$$\frac{\sin \theta}{\cos \theta} + \frac{\cos \theta}{\sin \theta} = 2 \operatorname{cosec} 2\theta, \quad \theta \neq 90n^\circ.$$

(4)

(2)

$$\frac{\sin \theta}{\cos \theta} + \frac{\cos \theta}{\sin \theta} = 3,$$

(6)




Leave
blank

Question 7 continued

Lined area for writing answers.



Leave
blank



Leave
blank

(Total 12 marks)

Q7



8. The amount of a certain type of drug in the bloodstream t hours after it has been taken is given by the formula

$$x = D e^{-\frac{1}{8}t},$$

A dose of 10 mg of the drug is given.

- (a) Find the amount of the drug in the bloodstream 5 hours after the dose is given. Give your answer in mg to 3 decimal places.

(2)

A second dose of 10 mg is given after 5 hours.

- (b) Show that the amount of the drug in the bloodstream 1 hour after the second dose is 13.549 mg to 3 decimal places.

(2)

No more doses of the drug are given. At time T hours after the second dose is given, the amount of the drug in the bloodstream is 3 mg.

- (c) Find the value of T .

(3)



Leave
blank

Question 8 continued

Lined area for writing the answer to Question 8.



Leave
blank

(Total 7 marks)

Q8

TOTAL FOR PAPER: 75 MARKS

END

