Mathematics C4

Past Paper

This resource was created and owned by Pearson Edexcel

....

Examiner's use only

Team Leader's use only

Question

1

2

3

4

5

6

7

Leave

Centre No.					Pape	er Refer	ence			Surname	Initial(s)
Candidate No.			6	6	6	6	/	0	1	Signature	

Paper Reference(s)

6666/01

Edexcel GCE

Core Mathematics C4 Advanced

Wednesday 26 January 2011 – Afternoon

Time: 1 hour 30 minutes

Materials required for examination
Mathematical Formulae (Pink)Items included with question papers
Nil

Candidates may use any calculator allowed by the regulations of the Joint Council for Qualifications. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions to Candidates

In the boxes above, write your centre number, candidate number, your surname, initials and signature. Check that you have the correct question paper.

Answer ALL the questions.

You must write your answer to each question in the space following the question.

When a calculator is used, the answer should be given to an appropriate degree of accuracy.

Information for Candidates

A booklet 'Mathematical Formulae and Statistical Tables' is provided.

Full marks may be obtained for answers to ALL questions.

The marks for individual questions and the parts of questions are shown in round brackets: e.g. (2).

There are 7 questions in this question paper. The total mark for this paper is 75.

There are 24 pages in this question paper. Any blank pages are indicated.

Advice to Candidates

You must ensure that your answers to parts of questions are clearly labelled. You should show sufficient working to make your methods clear to the Examiner. Answers without working may not gain full credit.

This publication may be reproduced only in accordance wi Edexcel Limited copyright policy. ©2011 Edexcel Limited.

Printer's Log. No. H35405A W850/R66666/57570 5/5/5/3



Turn over

Total



■ Past Paper

www.mystudybro.comThis resource was created and owned by Pearson Edexcel

6666 Leave

$\int_0^{\frac{\pi}{2}} x \sin 2x \mathrm{d}x$		
	(6)	

	yotaays.o.oo						
Past Paper	This resource was created and owned by Pearson Edexce						

pei	This resource was created and owned by Fearson Edexcer	
	_	
uestion 1 continued		
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_
		_



Past Paper

www.mystudybro.comThis resource was created and owned by Pearson Edexcel

6666

Leave)
blank	

The current, I amps, in an electric circuit at time t seconds is given by	
$I = 16 - 16(0.5)^t, t \geqslant 0$	
Use differentiation to find the value of $\frac{dI}{dt}$ when $t = 3$.	
Give your answer in the form $\ln a$, where a is a constant.	
	(5)

Winter 2011	www.mystudybro.com	Mathemati	CS C4
Past Paper	This resource was created and owned by Pearson Edexcel		6666
			Leave

Question 2 continued	l t
	Q
	(Total 5 marks)

Past Paper

This resource was created and owned by Pearson Edexcel

Leave blank

3. (a) Express $\frac{5}{(x-1)(3x+2)}$ in partial fractions.

(3)

(b) Hence find $\int \frac{5}{(x-1)(3x+2)} dx$, where x > 1.

(3)

(c) Find the particular solution of the differential equation

$$(x-1)(3x+2)\frac{dy}{dx} = 5y, \quad x > 1,$$

for which y = 8 at x = 2. Give your answer in the form y = f(x).

(6)

Mathe

www.mystudybro.comThis resource was created and owned by Pearson Edexcel Past Paper

emati	matics C4				
	Leave blank				
_					
_					
_					
_					
_					
_					
_					
_					
_					
_					
_					
_					
_					
_					
_					
_					
_					

Mathematics C4

6666

■ Past Paper

www.mystudybro.comThis resource was created and owned by Pearson Edexcel

iestion 3 continued	
uestion 3 continued	

Williel Zull	www.iiiyStudybro.com	Maniemancs C4
Past Paper	This resource was created and owned by Pearson Edexcel	6666

Question 3 continued	Leave blank
	Q3
(Total 12 marks)	

 (b) Find a vector equation of <i>l</i>. (c) The point <i>C</i> has position vector 2i + pj - 4k with respect to <i>O</i>, where <i>p</i> is a constant. Given that <i>AC</i> is perpendicular to <i>l</i>, find (d) the distance <i>AC</i>. 	has
 (b) Find a vector equation of l. (c) The point C has position vector 2i + pj-4k with respect to O, where p is a constant. Given that AC is perpendicular to l, find (d) the value of p, (e) the value of AC. 	
 (b) Find a vector equation of l. (c) The point C has position vector 2i + pj-4k with respect to O, where p is a constant. Given that AC is perpendicular to l, find (d) the value of p, (e) the value of AC. 	
The point C has position vector $2\mathbf{i} + p\mathbf{j} - 4\mathbf{k}$ with respect to O, where p is a constant. Given that AC is perpendicular to l, find (c) the value of p, (d) the distance AC.	(2)
The point C has position vector $2\mathbf{i} + p\mathbf{j} - 4\mathbf{k}$ with respect to O, where p is a constant. Given that AC is perpendicular to l, find (c) the value of p, (d) the distance AC.	
Given that AC is perpendicular to l , find (c) the value of p , (d) the distance AC .	(2)
Given that AC is perpendicular to l , find (c) the value of p , (d) the distance AC .	
(d) the distance AC.	
(d) the distance AC.	
	(4)
	(2)

Mathematics C4

6666

		•	•		
Past Paper	This resource was o	reated and	owned by	Pearson	Edexcel

estion 4 continued	

Mathematics C4

www.mystudybro.comThis resource was created and owned by Pearson Edexcel ■ Past Paper

11	ıe	m	a	S	•	4ب	ŀ
					66	366	6

Leave

Question 4 continued	blank

V	Νi	n	te	r	2	n	1	1
w	v	11			_	w		

www.mystudybro.com **Mathematics C4** This resource was created and owned by Pearson Edexcel 6666 Past Paper Leave blank **Question 4 continued**

Q4

(Total 10 marks)



Past Paper

This resource was created and owned by Pearson Edexcel

6666

Leave blank

5. (a) Use the binomial theorem to expand

$$(2-3x)^{-2}$$
, $|x|<\frac{2}{3}$,

in ascending powers of x, up to and including the term in x^3 . Give each coefficient as a simplified fraction.

(5)

$$f(x) = \frac{a+bx}{(2-3x)^2}$$
, $|x| < \frac{2}{3}$, where a and b are constants.

In the binomial expansion of f(x), in ascending powers of x, the coefficient of x is 0 and the coefficient of x^2 is $\frac{9}{16}$. Find

(b) the value of a and the value of b,

(5)

(c	;) t	the coefficient	of x^3 ,	giving	your ans	swer as a	simplified	I fraction.	

(3)

W	/i	n	te	r	2	n	1	1
V١	•	11	u		Z	u		

www.mystudybro.comThis resource was created and owned by Pearson Edexcel

Ì	е	П	ıa	τı	C	S	C	4
						6	666	66

st Paper	This resource was created and owned by Pearson Edexcel	666
		Leave
Question 5 continued		blank
Question e continued		

Math C4

www.mystudybro.comThis resource was created and owned by Pearson Edexcel ■ Past Paper

athematics	C 4
6	666

	Leav
Out of the second secon	blar
Question 5 continued	

V	Νi	n	te	r	2	n	1	1
w	v	11			_	w		

Willia ZUII	www.mystudybro.com	Maniemancs C4
Past Paper	This resource was created and owned by Pearson Edexcel	6666

Question 5 continued	
	(Total 13 marks)

Leave blank

6. The curve C has parametric equations

$$x = \ln t$$
, $y = t^2 - 2$, $t > 0$

Find

(a) an equation of the normal to C at the point where t = 3,

(6)

(b) a cartesian equation of *C*.

(3)




Figure 1

The finite area R, shown in Figure 1, is bounded by C, the x-axis, the line $x = \ln 2$ and the line $x = \ln 4$. The area R is rotated through 360° about the x-axis.

(c) Use calculus to find the exact volume of the solid generated.

(6)

Winter 2011

Question 6 continued

www.mystudybro.com

Math

ast Paper	This resource was created and	l owned by Pearson Edexcel

emati	ics C4 6666	
	Leave blank	
_		
_		
_		
_		
_		
_		

Mathematics C4

www.mystudybro.comThis resource was created and owned by Pearson Edexcel ■ Past Paper

, 3	O.	Ŧ
_	~~	_

Question 6 continued	1

Winter	201	1
Past Pape	er	

Question 6 continued	/inter 2011	www.mystudybro.com This resource was created and owned by Pearson Edexcel	Mathematics C4
Question 6 continued	st Paper	This resource was created and owned by Pearson Edexcel	6666
Question 6 continued			Leave
	Overtion 6 cont	day.od	blank
	Question o cont	inueu	
06			
			O6



(Total 15 marks)

This resource was created and owned by Pearson Edexcel

Leave blank

7.

$$I = \int_{2}^{5} \frac{1}{4 + \sqrt{(x-1)}} \, \mathrm{d}x$$

(a) Given that $y = \frac{1}{4 + \sqrt{(x-1)}}$, complete the table below with values of y corresponding

to x = 3 and x = 5. Give your values to 4 decimal places.

x	2	3	4	5
y	0.2		0.1745	

(2)

(b) Use the trapezium rule, with all of the values of *y* in the completed table, to obtain an estimate of *I*, giving your answer to 3 decimal places.

(4)

(c) Using the substitution $x = (u-4)^2 + 1$, or otherwise, and integrating, find the exact value of I.

(8)

			_
Wi	nter	201	1

Past Paper	This resource was	created and	owned by	y Pearson Edexc

i apci	This resource was created and owned by I carson Edexoci	000
		Leave
		blank
Question 7 continued	d .	
		_
		_
		—
		—
		_
		_
		_
		_
		—
		—
		_
		—
		_
		_
		—
		_
		_

www.mvstudvbro.com

st Paper	This resource was created and owned by Pearson Edexcel	6660
		Leave blank
Question 7 continued		
		Q7
	(Total	14 marks)
	TOTAL FOR PAPER:	
	END	