

Centre No.						Paper Reference							Surname	Initial(s)
Candidate No.						6	6	6	3	/	0	1	Signature	

Paper Reference(s)

6663/01

Edexcel GCE

Core Mathematics C1

Advanced Subsidiary



Wednesday 9 January 2008 – Afternoon
Time: 1 hour 30 minutes

Examiner's use only

--	--	--

Team Leader's use only

--	--	--

[illegible]

Materials required for examination

Mathematical Formulae (Green)

Items included with question papers

Nil

Calculators may NOT be used in this examination.

Instructions to Candidates

In the boxes above, write your centre number, candidate number, your surname, initials and signature.

Check that you have the correct question paper.

Answer ALL the questions.

You must write your answer for each question in the space following the question.

Information for Candidates

A booklet 'Mathematical Formulae and Statistical Tables' is provided.

Full marks may be obtained for answers to ALL questions.

The marks for individual questions and the parts of questions are shown in round brackets: e.g. (2).

There are 11 questions in this question paper. The total mark for this paper is 75.

There are 24 pages in this question paper. Any blank pages are indicated.

Advice to Candidates

You must ensure that your answers to parts of questions are clearly labelled.

You should show sufficient working to make your methods clear to the Examiner.

Answers without working may not gain full credit.

This publication may be reproduced only in accordance with Edexcel Limited copyright policy.
©2008 Edexcel Limited

Printer's Log. No. _____

Printer's Log. No.
N25561A

W850/R6663/57570 3/3/3/3/3/3



Turn over

edexcel 
advancing learning, changing lives

Leave
blank

1. Find $\int (3x^2 + 4x^5 - 7) dx$.

(4)

Q1

(Total 4 marks)



Leave
blank

2. (a) Write down the value of $16^{\frac{1}{4}}$.

(1)

(b) Simplify $(16x^{12})^{\frac{3}{4}}$.

(2)

Q2

(Total 3 marks)



Leave
blank

3. Simplify

$$\frac{5 - \sqrt{3}}{2 + \sqrt{3}},$$

giving your answer in the form $a + b\sqrt{3}$, where a and b are integers.

(4)

Q3

(Total 4 marks)



Q4

- (Total 7 marks)**



Leave
blank

- Given that $y = 5x - 7 + \frac{2\sqrt{x+3}}{x}$, $x > 0$,

- (b) find $\frac{dy}{dx}$, simplifying the coefficient of each term. (4)



Leave
blank

(Total 6 marks)

Q5



6.


**Figure 1**

Figure 1 shows a sketch of the curve with equation $y = f(x)$. The curve crosses the x -axis at the points $(1, 0)$ and $(4, 0)$. The maximum point on the curve is $(2, 5)$.

In separate diagrams sketch the curves with the following equations.

On each diagram show clearly the coordinates of the maximum point and of each point at which the curve crosses the x -axis.

(a) $y = 2f(x)$, (3)

(b) $y = f(-x)$. (3)

The maximum point on the curve with equation $y = f(x + a)$ is on the y -axis.

(c) Write down the value of the constant a . (1)



Leave
blank

Question 6 continued

Q6

(Total 7 marks)



7. A sequence is given by:

$$\begin{aligned}x_1 &= 1, \\ x_{n+1} &= x_n(p + x_n),\end{aligned}$$

where p is a constant ($p \neq 0$).

- (a) Find x_2 in terms of p . (1)

- (b) Show that $x_3 = 1 + 3p + 2p^2$. (2)

Given that $x_3 = 1$,

- (c) find the value of p ,

- (d) write down the value of x_{2008} .



Leave
blank

This image shows a full page of blank, lined paper. It features approximately 28 horizontal grey lines spaced evenly apart, typical of standard notebook paper. The lines extend across the entire width of the page, leaving small margins at the top and bottom. There are no vertical lines, text, or other markings present.

(Total 8 marks)

Q7



Leave
blank

(Total 7 marks)

Q8



9. The curve C has equation $y = f(x)$, $x > 0$, and $f'(x) = 4x - 6\sqrt{x} + \frac{8}{x^2}$.

(a) find $f(x)$ and simplify your answer.

(6)

(b) Find an equation of the normal to C at the point $P(4, 1)$.

(4)



Leave
blank

[illegible]

(Total 10 marks)

Q9



10. The curve C has equation

$$y = (x + 3)(x - 1)^2.$$

- (a) Sketch C showing clearly the coordinates of the points where the curve meets the coordinate axes.

(4)

- (b) Show that the equation of C can be written in the form

$$y = x^3 + x^2 - 5x + k,$$

where k is a positive integer, and state the value of k .

(2)

There are two points on C where the gradient of the tangent to C is equal to 3.

- (c) Find the x -coordinates of these two points.

(6)



Leave
blank

Question 10 continued

Lined area for writing the answer to Question 10.



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Leave
blank



Leave
blank

[illegible]

Leave
blank

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

(Total 7 marks)

TOTAL FOR PAPER: 75 MARKS

END

Q11



BLANK PAGE

