**Mathematics C1** 

Past Paper

This resource was created and owned by Pearson Edexcel

Centre No.					Pape	er Refer	ence			Surname	Initial(s)
Candidate No.			6	6	6	3	/	0	1	Signature	

Paper Reference(s)

6663/01

# **Edexcel GCE**

# Core Mathematics C1 **Advanced Subsidiary**

Wednesday 18 May 2011 – Morning

Time: 1 hour 30 minutes



Examiner's use only					
Toom I	andar's u	ico only			

Question

1

2

3

4

5

6

7

8

10

L	eader's t	ise only
_		

Leave

Materials required for examination

Mathematical Formulae (Pink)

Items included with question papers

Calculators may NOT be used in this examination.

#### **Instructions to Candidates**

In the boxes above, write your centre number, candidate number, your surname, initials and signature. Check that you have the correct question paper.

Answer ALL the questions.

You must write your answer for each question in the space following the question.

#### **Information for Candidates**

A booklet 'Mathematical Formulae and Statistical Tables' is provided.

Full marks may be obtained for answers to ALL questions.

The marks for individual questions and the parts of questions are shown in round brackets: e.g. (2).

There are 10 questions in this question paper. The total mark for this paper is 75.

There are 28 pages in this question paper. Any blank pages are indicated.

### **Advice to Candidates**

You must ensure that your answers to parts of questions are clearly labelled. You should show sufficient working to make your methods clear to the Examiner. Answers without working may not gain full credit.

Edexcel Limited copyright policy.



Turn over

**Total** 



W850/R6663/57570 5/5/3

**Mathematics C1** 

Past Paper

**www.mystudybro.com**This resource was created and owned by Pearson Edexcel

	_	_	_	
				$\neg$
Æ	ea	V	e	

. Find the value of	
(a) $25^{\frac{1}{2}}$	(1)
(b) $25^{-\frac{3}{2}}$	
	(2)



Past Paper

**www.mystudybro.com**This resource was created and owned by Pearson Edexcel

6663


Leave blank

2.	Given that $y = 2x^5 + 7 + \frac{1}{x^3}$ , $x \ne 0$ , find, in their simplest form,
	(a) $\frac{\mathrm{d}y}{\mathrm{d}x}$ ,

**(3)** 

(b) 
$$\int y \, dx$$
.

**(4)** 





Sum	mer	201	1
Juli		<b>Z</b> U I	

Mathematics C

Julillier Zull	www.iiiystudybio.com	Matricinatics Ci
Past Paper	This resource was created and owned by Pearson Edexcel	6663

Question 2 continued	Leave blank
	Q2
(Total 7 marks)	

**www.mystudybro.com**This resource was created and owned by Pearson Edexcel

■ Past Paper

	The points $P$ and $Q$ have coordinates $(-1, 6)$ and $(9, 0)$ respectively.
	The line $l$ is perpendicular to $PQ$ and passes through the mid-point of $PQ$ .
	Find an equation for $l$ , giving your answer in the form $ax + by + c = 0$ , where $a$ , $b$ and $c$ are integers.
	(5)
_	
_	
_	

Summer 2011 Past Paper	www.mystudybro.com This resource was created and owned by Pearson Edexcel	Mathema	atics C
Question 3 conti	inued		Leave blank

Q3

(Total 5 marks)



**Mathematics C1** 

■ Past Paper

**www.mystudybro.com**This resource was created and owned by Pearson Edexcel

6663

Leave

x + y = 2	
$4y^2 - x^2 = 11$	(7)

<b>Summer</b>	201	1
Past Paper		

Mathematics C

ast Paper	This resource was created and owned by Pearson Edexcel

au	ıeı	nati	ICS	C	ı
			,		_

Leave

Question 4 continued	

Past Paper

This resource was created and owned by Pearson Edexcel

Leave blank

5. A sequence  $a_1, a_2, a_3,...$  is defined by

$$a_1 = k,$$
  
 $a_{n+1} = 5a_n + 3, \quad n \ge 1,$ 

where k is a positive integer.

(a) Write down an expression for  $a_2$  in terms of k.

(1)

(b) Show that  $a_3 = 25k + 18$ .

**(2)** 

(c) (i) Find  $\sum_{r=1}^{4} a_r$  in terms of k, in its simplest form.

(ii) Show that  $\sum_{r=1}^{4} a_r$  is divisible by 6.

**(4)** 


e.	ım	m	۸r	2	<b>N</b> 4	4
Эl	ım	m	er	Z	U.I	1

**Mathematics C1** 

Julillici Zu i i	www.mystaaybro.com
Past Paper	This resource was created and owned by Pearson Edexcel

6663	
Leave	
blank	

uestion 5 continued	
	(Total 7 marks)

Past Paper

This resource was created and owned by Pearson Edexcel

Leave

blank

6. Given that  $\frac{6x+3x^{\frac{5}{2}}}{\sqrt{x}}$  can be written in the form  $6x^p + 3x^q$ ,

(a) write down the value of p and the value of q.

**(2)** 

Given that  $\frac{dy}{dx} = \frac{6x + 3x^{\frac{5}{2}}}{\sqrt{x}}$ , and that y = 90 when x = 4,

(b) find y in terms of x, simplifying the coefficient of each term.

**(5)** 

e.	ım	m	or	21	14	4
วเ	ım	m	er	21	J1	1

Question 6 continued

#### www.mvstudvbro.com

Mathe

Julillici Zu i i	www.iiiy3tuaybi0.com
Past Paper	This resource was created and owned by Pearson Edexcel

matics C1				
	Leave blank			
_				
_				
_				
_				
_				
_				
_				
_				
_				
_				
_				
_				
_				
_				
_				
_				
_				
_				
_				
_				
_				
_				
_				
_				
_				
_				
_				
_				
_				
_				
_				
_				

(Total 7 marks)

■ Past Paper

This resource was created and owned by Pearson Edexcel

Leave

blank

7.	$f(x) = x^2 + (k+3)x + k$

where k is a real constant.

(a) Find the discriminant of f(x) in terms of k.

**(2)** 

(b) Show that the discriminant of f(x) can be expressed in the form  $(k+a)^2 + b$ , where a and b are integers to be found.

**(2)** 

(c)	Show that,	for all	values of $k$ ,	the equation	f(x) = 0	has real roots.
-----	------------	---------	-----------------	--------------	----------	-----------------

**(2)** 


Sum	mer	201	1
Juli		<b>Z</b> U I	

**Mathematics C1** 

Summer 2011	www.mystudybro.com
Past Paper	This resource was created and owned by Pearson Edexcel

ICS CT	
6663	
Leave	
blank	

nestion 7 continued	
	(Total 6 marks)

Leave blank

8.




Figure 1

Figure 1 shows a sketch of the curve C with equation y = f(x). The curve C passes through the origin and through (6, 0). The curve C has a minimum at the point (3, -1).

On separate diagrams, sketch the curve with equation

(a) 
$$y = f(2x)$$
, (3)

(b) 
$$y = -f(x)$$
, (3)

(c) 
$$y = f(x+p)$$
, where p is a constant and  $0 .$ 

On each diagram show the coordinates of any points where the curve intersects the *x*-axis and of any minimum or maximum points.

Cmmai	2044
Summer	· 2011

Mathematics C

Sulliller 2011	www.iiiystuuybio.coiii	Maniemancs	CI
Past Paper	This resource was created and owned by Pearson Edexcel	(	6663

Leave blank **Question 8 continued** 

Su	ım	m	۸r	20	1	4
่อน	ш	111	er	ZU	, ,	

Question 8 continued

### www.mystudybro.com

**Mathematics C1** 

	,,
ast Paper	This resource was created and owned by Pearson Edexce

Leave

blank

		5				

Summer 2011 Past Paper	www.mystudybro.com This resource was created and owned by Pearson Edexcel	Mathematics C1
Question 8 contin		Leave blank

Q8

(Total 10 marks)

Past Paper

This resource was created and owned by Pearson Edexcel

Leave blank

9. (a) Calculate the sum of all the even numbers from 2 to 100 inclusive,

$$2 + 4 + 6 + \dots + 100$$

**(3)** 

(b) In the arithmetic series

$$k + 2k + 3k + \dots + 100$$

k is a positive integer and k is a factor of 100.

- (i) Find, in terms of k, an expression for the number of terms in this series.
- (ii) Show that the sum of this series is

$$50 + \frac{5000}{k}$$
 (4)

(c) Find, in terms of k, the 50th term of the arithmetic sequence

$$(2k+1)$$
,  $(4k+4)$ ,  $(6k+7)$ , .....,

giving your answer in its simplest form.

#### **Summer 2011**

#### www.mystudybro.com

**Mathematics C1** 

6663

ullilli <del>c</del> i 2011	www.iiiystuuybio.com	Manieman
ast Paper	This resource was created and owned by Pearson Edexcel	

estion 9 continued	

**Mathematics C1** 

This re

www.mystudybro.com
esource was created and owned by Pearson Edexcel

estion 9 continued	

Sum	mar	201	4
oum	mer	ZUI	

Summer 2011 www.mystudybro.com This resource was created and owned by Pearson Edexcel  Question 9 continued	0000
Question 9 continued	6663
Question 5 continues	Leave blank

**Q9** 

(Total 9 marks)



Past Paper

This resource was created and owned by Pearson Edexcel

Leave

blank

10. The curve C has equation

$$y = (x+1)(x+3)^2$$

(a) Sketch C, showing the coordinates of the points at which C meets the axes.

**(4)** 

(b) Show that  $\frac{dy}{dx} = 3x^2 + 14x + 15$ .

**(3)** 

The point A, with x-coordinate -5, lies on C.

(c) Find the equation of the tangent to C at A, giving your answer in the form y = mx + c, where m and c are constants.

**(4)** 

Another point B also lies on C. The tangents to C at A and B are parallel.

(d) Find the *x*-coordinate of *B*.

**(3)** 

# **Summer 2011**

# www.mystudybro.com

**Mathematics C1** 

Dact	Paper
Pasi	Paper

This resource was created and owned by Pearson Edexce

st Paper	This resource was created and owned by Pearson Edexcei	666
		Leave
0 4 10		blank
Question 10 co	ntinued	

Mathematics C1

	,,
ast Paper	This resource was created and owned by Pearson Edexcel

ľ	I	ld	u	C:	5	C	ı
					_	~~	_

Leave

# **Summer 2011**

### www.mystudybro.com

**Mathematics C1** 

		•	•	
Past Paper	This resource was	created and	owned by	/ Pearson Edexcel

•	•	 	•••	_	_	_	-	
					6	666	3	

estion 10 continued	

Ç.	ım	m	۵r	2	<b>N</b> 1	4
่อเ	HIL	ш	er	Z	וע	

**Mathematics C1** 

· · · · · · · · · · · · · · · · · · ·	
ast Paper	This resource was created and owned by Pearson Edexcel

6663

		Leave blank
Question 10 continued		
		Q10
	(Total 14 marks)	
ENID	TOTAL FOR PAPER: 75 MARKS	
END		