

Centre No.						Paper Reference							Surname	Initial(s)
Candidate No.						6	6	6	4	/	0	1	Signature	

Paper Reference(s)

6664/01

# Edexcel GCE

# Core Mathematics C2

## Advanced Subsidiary

## Friday 24 May 2013 – Morning

Time: 1 hour 30 minutes

Examiner's use only

--	--	--

Team Leader's use only

--	--	--

[illegible]

### Materials required for examination

---

### Mathematical Formulae (Pink)

### Items included with question papers

Nil

**Candidates may use any calculator allowed by the regulations of the Joint Council for Qualifications. Calculators must not have the facility for symbolic algebra manipulation or symbolic differentiation/integration, or have retrievable mathematical formulae stored in them.**

### Instructions to Candidates

In the boxes above, write your centre number, candidate number, your surname, initials and signature.

Check that you have the correct question paper.

Answer ALL the questions.

You must write your answer for each question in the space following the question.

When a calculator is used, the answer should be given to an appropriate degree of accuracy.

## Information for Candidates

A booklet 'Mathematical Formulae and Statistical Tables' is provided.

Full marks may be obtained for answers to ALL questions.

The marks for individual questions and the parts of questions are shown in round brackets: e.g. (2).

There are 10 questions in this question paper. The total mark for this paper is 75.

There are 32 pages in this question paper. Any blank pages are indicated.

## Advice to Candidates

---

You must ensure that your answers to parts of questions are clearly labelled.

You should show sufficient working to make your methods clear to the Examiner.

Answers without working may not gain full credit.

This publication may be reproduced only in accordance with Pearson Education Ltd copyright policy.  
©2013 Pearson Education Ltd

Printer's Log. No.

Printer's Log. No.  
**P41859A**

W850/R6664/57570 5/5/5/6/6/



*Turn over*

PEARSON

Leave  
blank

- 18, 12 and
- $p$

respectively, where  $p$  is a constant.

(a) the value of the common ratio of the series,

(1)

- (b) the value of  $p$ ,

(1)

- (c) the sum of the first 15 terms of the series, giving your answer to 3 decimal places.

(2)



Q1

100

**(Total 4 marks)**



Leave  
blank

- $$(2 + 3x)^4$$

Give each term in its simplest form.

(4)

- $$(2 - 3x)^4$$

in ascending powers of  $x$ , giving each term in its simplest form.

(1)



Q2

1001

**(Total 5 marks)**



3.

where  $a$  is a constant.

Given that  $(x - 3)$  is a factor of  $f(x)$ ,

- (a) show that  $a = -9$

(2)

- (b) factorise  $f(x)$  completely.

(4)

Given that

$$g(y) = 2(3^{3y}) - 5(3^{2y}) - 9(3^y) + 18$$

- (c) find the values of  $y$  that satisfy  $g(y) = 0$ , giving your answers to 2 decimal places where appropriate.

(3)



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



Q3

**(Total 9 marks)**



4. 
$$y = \frac{5}{(x^2 + 1)}$$

(a) Complete the table below, giving the missing value of  $y$  to 3 decimal places.

$x$	0	0.5	1	1.5	2	2.5	3
$y$	5	4	2.5		1	0.690	0.5

(1)




Figure 1

Figure 1 shows the region  $R$  which is bounded by the curve with equation  $y = \frac{5}{(x^2 + 1)}$ , the  $x$ -axis and the lines  $x = 0$  and  $x = 3$

(b) Use the trapezium rule, with all the values of  $y$  from your table, to find an approximate value for the area of  $R$ .

(4)

(c) Use your answer to part (b) to find an approximate value for

$$\int_0^3 \left( 4 + \frac{5}{(x^2 + 1)} \right) dx$$

giving your answer to 2 decimal places.

(2)

---



---



---



---

Leave  
blank


**(Total 7 marks)**

Q4



Leave  
blank

5.



### Figure 2

Figure 2 shows a plan view of a garden.

The plan of the garden  $ABCDEA$  consists of a triangle  $ABE$  joined to a sector  $BCDE$  of a circle with radius 12 m and centre  $B$ .

The points  $A$ ,  $B$  and  $C$  lie on a straight line with  $AB = 23$  m and  $BC = 12$  m.

Given that the size of angle  $ABE$  is exactly 0.64 radians, find

(a) the area of the garden, giving your answer in  $\text{m}^2$ , to 1 decimal place, (4)

(b) the perimeter of the garden, giving your answer in metres, to 1 decimal place. (5)



Leave  
blank

Question 5 continued

Lined area for writing the answer to Question 5.



Leave  
blank



Leave  
blank


**(Total 9 marks)**

**Q5**



Leave  
blank

**6.**



### Figure 3

Figure 3 shows a sketch of part of the curve  $C$  with equation

$$y = x(x + 4)(x - 2)$$

The curve  $C$  crosses the  $x$ -axis at the origin  $O$  and at the points  $A$  and  $B$ .

- (a) Write down the  $x$ -coordinates of the points  $A$  and  $B$ .

(1)

The finite region, shown shaded in Figure 3, is bounded by the curve  $C$  and the  $x$ -axis.

- (b) Use integration to find the total area of the finite region shown shaded in Figure 3.

(7)







This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

**Q6**

**(Total 8 marks)**



Leave  
blank

- $$\log_7(2x) = \log_7(5x + 4) - 3$$

(4)

- $$\log_a y + 3\log_a 2 = 5$$

Give your answer in its simplest form.

(3)



**Q7**

**(Total 7 marks)**



Leave  
blank

- $$\tan(x - 40^\circ) = 1.5$$

giving your answers to 1 decimal place.

(3)

- (ii) (a) Show that the equation

$$\sin \theta \tan \theta = 3 \cos \theta + 2$$

can be written in the form

$$4\cos^2\theta + 2\cos\theta - 1 = 0$$

(3)

- (b) Hence solve, for  $0 \leq \theta < 360^\circ$ ,

$$\sin \theta \tan \theta = 3 \cos \theta + 2$$

showing each stage of your working.

(5)



Leave  
blank

Question 8 continued

Lined area for writing the answer to Question 8.



Leave  
blank



**Turn over**



Leave  
blank

$$y = x^2 - 32\sqrt[3]{x} + 20, \quad x > 0$$

has a stationary point  $P$ .

Use calculus

(a) to find the coordinates of  $P$ ,

(6)

(b) to determine the nature of the stationary point  $P$ .

(3)



Leave  
blank

Question 9 continued

Lined area for writing the answer to Question 9.





Leave  
blank


**Question 9 continued**

Q9

**(Total 9 marks)**



10.



The circle  $C$  has radius 5 and touches the  $y$ -axis at the point  $(0, 9)$ , as shown in Figure 4.

- A line through the point  $P(8, -7)$  is a tangent to the circle  $C$  at the point  $T$ .

- (b) Find the length of  $PT$ . (3)



Leave  
blank

Question 10 continued

Lined area for writing the answer to Question 10.



Leave  
blank

**(Total 6 marks)**

**TOTAL FOR PAPER: 75 MARKS**

**END**

