

Centre No.						Paper Reference							Surname	Initial(s)
Candidate No.						6	6	6	4	/	0	1	Signature	

Paper Reference(s)

**6664/01**

# Edexcel GCE

# Core Mathematics C2

## Advanced Subsidiary

## Friday 5 June 2009 – Afternoon

Time: 1 hour 30 minutes

Examiner's use only

--	--	--

Team Leader's use only

--	--	--

[illegible]

### Materials required for examination

---

Mathematical Formulae  
(Orange or Green)

### Items included with question papers

Nil

**Candidates may use any calculator allowed by the regulations of the Joint Council for Qualifications. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.**

### Instructions to Candidates

In the boxes above, write your centre number, candidate number, your surname, initials and signature. Check that you have the correct question paper.

Answer ALL the questions. Write your answers in the spaces provided in this question paper. When a calculator is used, the answer should be given to an appropriate degree of accuracy.

## Information for Candidates

A booklet 'Mathematical Formulae and Statistical Tables' is provided.

Full marks may be obtained for answers to ALL questions.

The marks for individual questions and the parts of questions are shown in round brackets: e.g. (2).

There are 9 questions in this question paper. The total mark for this paper is 75.

There are 24 pages in this question paper. Any blank pages are indicated.

## Advice to Candidates

---

You must ensure that your answers to parts of questions are clearly labelled.

You should show sufficient working to make your methods clear to the Examiner.

Answers without working may not gain full credit.

This publication may be reproduced only in accordance with Edexcel Limited copyright policy.  
©2009 Edexcel Limited

Printer's Log. No.

Printer's Log. No.  
H34263A

W850/R6664/57570 3/5/4



*Turn over*

**edexcel**   
advancing learning, changing lives

**BLANK PAGE**



Leave  
blank

1. Use calculus to find the value of

$$\int_1^4 (2x + 3\sqrt{x}) \, dx$$

(5)

Q1

(Total 5 marks)



H 3 4 2 6 3 A 0 3 2 4

Leave  
blank

- $$(2 + kx)^7$$

where  $k$  is a constant. Give each term in its simplest form.

(4)

Given that the coefficient of  $x^2$  is 6 times the coefficient of  $x$ ,

- (b) find the value of  $k$ .

(2)

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Leave  
blank

[illegible]

**(Total 6 marks)**

Q2



Leave  
blank

$$f(x) = (3x - 2)(x - k) - 8$$

(a) Write down the value of  $f(k)$ .

(1)

When  $f(x)$  is divided by  $(x - 2)$  the remainder is 4

(b) Find the value of  $k$ .

(2)

(c) Factorise  $f(x)$  completely.

(3)



Leave  
blank

Question 3 continued

Handwriting practice area with 30 horizontal lines.

(Total 6 marks)

Q3



4. (a) Complete the table below, giving values of  $\sqrt[3]{(2^x + 1)}$  to 3 decimal places.

$x$	0	0.5	1	1.5	2	2.5	3
$\sqrt{(2^x + 1)}$	1.414	1.554	1.732	1.957			3

A graph in the  $xy$ -plane. The horizontal axis is the  $x$ -axis and the vertical axis is the  $y$ -axis. The origin is labeled  $O$ . A curve starts at a point on the  $y$ -axis and increases as it moves to the right. The region between the  $y$ -axis, the  $x$ -axis, and the curve is shaded gray and labeled  $R$ . A vertical dashed line is drawn from the point where the curve intersects the  $x$ -axis (labeled 3) down to the  $x$ -axis.

Figure 1 shows the region  $R$  which is bounded by the curve with equation  $y = \sqrt{2^x + 1}$ , the  $x$ -axis and the lines  $x = 0$  and  $x = 3$

- (b) Use the trapezium rule, with all the values from your table, to find an approximation for the area of  $R$ .

(4)

- (c) By reference to the curve in Figure 1 state, giving a reason, whether your approximation in part (b) is an overestimate or an underestimate for the area of  $R$ .

(2)







Leave  
blank

[illegible]

**(Total 8 marks)**

Q4



Leave  
blank

5. The third term of a geometric sequence is 324 and the sixth term is 96
- (a) Show that the common ratio of the sequence is  $\frac{2}{3}$  (2)
- (b) Find the first term of the sequence. (2)
- (c) Find the sum of the first 15 terms of the sequence. (3)
- (d) Find the sum to infinity of the sequence. (2)

This image shows a full page of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page, typical of notebook paper. There are no margins, text, or other markings on the page.

Leave  
blank[illegible]

**(Total 9 marks)**

**Q5**



**6.** The circle  $C$  has equation

$$x^2 + y^2 - 6x + 4y = 12$$

- (a) Find the centre and the radius of  $C$ .

(5)

The point  $P(-1, 1)$  and the point  $Q(7, -5)$  both lie on  $C$ .

- (b) Show that  $PQ$  is a diameter of  $C$ .

(2)

The point  $R$  lies on the positive  $y$ -axis and the angle  $PRQ = 90^\circ$ .

- (c) Find the coordinates of  $R$ .

(4)





Leave  
blank

## This image shows a full page of blank, lined paper. It features approximately 28 horizontal blue or grey lines spaced evenly apart, typical of standard notebook paper. The lines extend across the entire width of the page, leaving small margins at the top and bottom. There are no vertical lines, text, or other markings on the page.



Leave  
blank

[illegible]

**(Total 11 marks)**

**Q6**



Leave  
blank

7. (i) Solve, for  $-180^\circ \leq \theta < 180^\circ$ ,

$$(1 + \tan \theta)(5 \sin \theta - 2) = 0.$$

**(4)**

Leave  
blank

(ii) Solve, for  $0 \leq x < 360^\circ$ ,

$$4\sin x = 3\tan x.$$

(6)

Q7

(Total 10 marks)



Leave  
blank

(5)




Leave  
blank

**(Total 7 marks)**

Q8



9.



### Figure 2

The volume of the box is  $300 \text{ cm}^3$ .

- (a) Show that the surface area of the box,  $S \text{ cm}^2$ , is given by

$$S = r^2 + \frac{1800}{r} \quad (5)$$

- (b) Use calculus to find the value of  $r$  for which  $S$  is stationary.

(4)

- (c) Prove that this value of  $r$  gives a minimum value of  $S$ .

(2)

- (d) Find, to the nearest  $\text{cm}^2$ , this minimum value of  $S$ .

(2)

[illegible]

Leave  
blank

[illegible]

Leave  
blank

[illegible]

**(Total 13 marks)**

**TOTAL FOR PAPER: 75 MARKS**

**END**

**Q9**

