www.mystudybro.com

Mathematics C3

6665

Past Paper

This resource was created and owned by Pearson Edexcel

Surname	Other na	mes
Pearson Edexcel GCE	Centre Number	Candidate Number
Core Mat Advanced	thematic	s C3
Tuesday 21 June 2016 – Time: 1 hour 30 minut	•	Paper Reference 6665/01

Candidates may use any calculator allowed by the regulations of the Joint Council for Qualifications. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B). Coloured pencils and highlighter pens must not be used.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
 there may be more space than you need.
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- When a calculator is used, the answer should be given to an appropriate degree of accuracy.

Information

- The total mark for this paper is 75.
- The marks for each question are shown in brackets
 use this as a quide as to how much time to spend on each question.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

P 4 6 7 1 7 A 0 1 3 2

Turn over ▶



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Past Paper

1. The functions f and g are defined by

$$f: x \to 7x - 1, \qquad x \in \mathbb{R}$$

$$g: x \to \frac{4}{x-2}, \qquad x \neq 2, x \in \mathbb{R}$$

(a) Solve the equation fg(x) = x

(4)

(b) Hence, or otherwise, find the largest value of a such that $g(a) = f^{-1}(a)$

(1)

2

nmer 2016 Paper	www.mystudybro.com This resource was created and owned by Pearson Edexcel	Mathematics
		L
Question 1 continue	ed	



Q1

(Total 5 marks)

Leave blank

2.

Past Paper

$$y = \frac{4x}{x^2 + 5}$$

(a) Find $\frac{dy}{dx}$, writing your answer as a single fraction in its simplest form.

(4)

(b) Hence find the set of values of x for which $\frac{dy}{dx} < 0$

(3)

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

⋖	
RE	
A S	
Ī	
Z	
Щ	
8 8	
FO	
ž	
0	

Summer 2016 Past Paper	www.mystudybro.com This resource was created and owned by Pearson Edexcel	Mathematics C3
	2 2222 22 22 22 22 22 22 22 22 22 22 22	Leave blank
Question 2 conti	inued	Ulalik
		Q2
	(То	tal 7 marks)



Leave

(a) Express 2 cos θ - sin θ in the form R cos (θ + α), where R and α are constants, R > 0 and 0 < α < 90°. Give the exact value of R and give the value of α to 2 decimal places.
 (3)

blank

(b) Hence solve, for $0 \le \theta < 360^{\circ}$,

$$\frac{2}{2\cos\theta - \sin\theta - 1} = 15$$

Give your answers to one decimal place.

(5)

(c) Use your solutions to parts (a) and (b) to deduce the smallest positive value of θ for which

$$\frac{2}{2\cos\theta + \sin\theta - 1} = 15$$

Give your answer to one decimal place.

(2)

Summer 2016 Past Paper	www.mystudybro.com This resource was created and owned by Pearson Edexcel	Mathematics C3
		Leave blank
Question 3 continu	ued	

ve	
ık	
	_
	DONO
	8
	<
	<u> </u>
	- 177
	Z
	2
	I
	V
	2
	AKEA
	C
	Z
	C
	VK.
	Z
	П
	2
	Z
	I
	V
	D
	AKEA
	T
	-

	L			J
	٩	۰		,
i				
	ä	d	ø	P
Í	۰	Ė		
(ľ			3
٦	٩		8	q
				١
Į	Ę			Š
ı	•	Ę	į	Ę
		3	Ē	3
1				
i				J
Ī				1
	ľ	1	ľ	
i				9
í	á	d		
				٩
1		٩	ř	
ı				
į				
Į	Ļ	d	7	7
ì				
1]		š	3
í	í	į	P	
ø	ø	ø	b	d
	ř	٦	ľ	٦
í	۹	í		ĺ
			S	

	Leave blank
Question 3 continued	Ulalik

Question 3 continued		
		Q
	(Total 10 marks)	



6665 Leave blank

4.




Figure 1

Figure 1 shows a sketch of part of the curve with equation y = g(x), where

$$g(x) = |4e^{2x} - 25|, \quad x \in \mathbb{R}$$

The curve cuts the y-axis at the point A and meets the x-axis at the point B. The curve has an asymptote y = k, where k is a constant, as shown in Figure 1

- (a) Find, giving each answer in its simplest form,
 - (i) the y coordinate of the point A,
 - (ii) the exact x coordinate of the point B,
 - (iii) the value of the constant k.

(5)

The equation g(x) = 2x + 43 has a positive root at $x = \alpha$

(b) Show that
$$\alpha$$
 is a solution of $x = \frac{1}{2} \ln \left(\frac{1}{2} x + 17 \right)$ (2)

The iteration formula

$$x_{n+1} = \frac{1}{2} \ln \left(\frac{1}{2} x_n + 17 \right)$$

can be used to find an approximation for α

(c) Taking $x_0 = 1.4$ find the values of x_1 and x_2 Give each answer to 4 decimal places.

(2)

(d) By choosing a suitable interval, show that $\alpha = 1.437$ to 3 decimal places.

(2)

st Paper	This resource was created and owned by Pearson Edexcel	666
		Leave
Question 4 continu	and	blank
Question 4 continu	ieu	



www.mystudybro.com

Mathematics C3

Jan	
ast Paner	This resource was created and owned by Pearson Edexor

666	5

Z	_
7	ď
5	٦
-	ø
_	J
	1
_	ó
8	ś
<	S
	3
ス	j
\leq	2
-	d
	1
п	٦
• •	۰
_	
7	₽
2	
=	
_	d
_	4
U	٩
V	1
>	
9	6
de	ø
_	i
J	J
=	í
п	1
ä	Ĵ
E	3
-	1
C	
C	
C	
C	
C Z	
C Z	
C Z	
CNC	
C Z	
O NOI W	
O NOI W	
O NOI W	

3	3	e	7
(3
_			_
Ξ	7	7	,
9			
ζ)
i			ì
_			1
s	ø	ø	ø
ã	ì	3	þ
3	3	3	9
Ī		C	
Ē		ì	í
			ł
ľ	٦	ľ	i
_			
i			
d	é	2	_
Т	7	7	Ξ
=			ł
=	٩	ř	ĺ
	d	Ŀ	
Ħ		٠	
ĺ	j	P	١
h			
ø	í	ô	ø
۳	j	Ċ	3
í		ì	
п	1	ľ	1

Question 4 continued	blanl

12

Leave blank

This resource was created and owned by Pearson Edexcel

Leave blank

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(i) Find, using calculus, the x coordinate of the turning point of the curve with equation

$$y = e^{3x} \cos 4x, \quad \frac{\pi}{4} \leqslant x < \frac{\pi}{2}$$

Give your answer to 4 decimal places.

(5)

(ii) Given $x = \sin^2 2y$, $0 < y < \frac{\pi}{4}$, find $\frac{dy}{dx}$ as a function of y.

Write your answer in the form

$$\frac{\mathrm{d}y}{\mathrm{d}x} = p \operatorname{cosec}(qy), \qquad 0 < y < \frac{\pi}{4}$$

where p and q are constants to be determined.

(5)

14

st Paper	This resource was created and owned by Pearson Edexcel	666
		Leave
Question 5 continued	1	blank
Question 5 continued	•	



www.mvstudvbro.com

Mathematics C3

www.mystaaybro.com	matricinatios oo
This resource was created and owned by Pearson Edexcel	6665

	blank
Question 5 continued	

Leave

Summer 2016 Past Paper	www.mystudybro.com This resource was created and owned by Pearson Edexcel	Mathematics C3
Question 5 contin	nued	Leave blank
II		

	Q5
(Total 10 marks)	



Leave blank

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

6.

$$f(x) = \frac{x^4 + x^3 - 3x^2 + 7x - 6}{x^2 + x - 6}, \quad x > 2, x \in \mathbb{R}$$

(a) Given that

$$\frac{x^4 + x^3 - 3x^2 + 7x - 6}{x^2 + x - 6} \equiv x^2 + A + \frac{B}{x - 2}$$

find the values of the constants A and B.

(4)

(b) Hence or otherwise, using calculus, find an equation of the normal to the curve with equation y = f(x) at the point where x = 3

(5)

DO NOT WRITE IN THIS AREA

	Leave
	blank
Question 6 continued	
Various s community	



This

Past Paper

www.mvstudvbro.com

Mathematics C3

www.iiiyotaaybio.com	Matricinatios oo
resource was created and owned by Pearson Edexcel	6665

	Lea	ave
	bla	ınk
Question 6 continued		

()	6

6665

Leave

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

blank

7. (a) For $-\frac{\pi}{2} \leqslant y \leqslant \frac{\pi}{2}$, sketch the graph of y = g(x) where

$$g(x) = \arcsin x \qquad -1 \leqslant x \leqslant 1$$

(2)

(b) Find the exact value of x for which

$$3g(x+1)+\pi=0$$

(3)

		nmer 20 Paper	16
		Questio	n 7
AKEA			
LEIS/			
2			
M ≪ M			
N N			
00			

d	ď
ш	ì
0	
◁	ζ
V)
Ξ	
Ċ	
Ξ	_
\leq	
ц	i
Ē	=
~	
3	5
\geq	
늘	-
C)
Z	
C)
č	١

IN THIS AREA	
Щ	
4	
4	
S	
=	
-	
-	
Z	
_	
ш	
05	
5	
>	
<u> </u>	
0	
-	
DO NOT WRITE	
0	

Paper	This resource was created and owned by Pearson Edexcel	6665
		Leave
		blank
Question 7 continued		
Zuostion / continued		
		Q7
		— <u>F</u>
	(Total #	lra)
	(Total 5 mar	KS)

www.mystudybro.com

Mathematics C3

DO NOT WRITE IN THIS AREA

Past Paper

This resource was created and owned by Pearson Edexcel Leave blank

(a) Prove that

$$2 \cot 2x + \tan x \equiv \cot x$$
 $x \neq \frac{n\pi}{2}, n \in \mathbb{Z}$

(4)

(b) Hence, or otherwise, solve, for $-\pi \leqslant x < \pi$,

$$6\cot 2x + 3\tan x = \csc^2 x - 2$$

Give your answers to 3 decimal places.

(Solutions based entirely on graphical or numerical methods are not acceptable.)

(6)

ast Paper	This resource was created and owned by Pearson Edexcel	666
		Leave
Ougstion 0 continues	1	blank
Question 8 continued		



Dact	Paper
rasi	ravei

		_		
ist Paper	This resource was cr	reated and	owned by Pearsor	n Edexcel

	$\overline{}$
	Leave
	blank
Question 8 continued	

nmer 2016 Paper	www.mystudybro.com This resource was created and owned by Pearson Edexcel	Mathematics C:
Question 8 continue	ed	Leave blank

(Total 10 marks)



Q8

Past Paper

The amount of an antibiotic in the bloodstream, from a given dose, is modelled by the formula

$$x = D e^{-0.2t}$$

where x is the amount of the antibiotic in the bloodstream in milligrams, D is the dose given in milligrams and t is the time in hours after the antibiotic has been given.

A first dose of 15 mg of the antibiotic is given.

(a) Use the model to find the amount of the antibiotic in the bloodstream 4 hours after the dose is given. Give your answer in mg to 3 decimal places.

(2)

A second dose of 15 mg is given 5 hours after the first dose has been given. Using the same model for the second dose,

(b) show that the total amount of the antibiotic in the bloodstream 2 hours after the second dose is given is 13.754 mg to 3 decimal places.

(2)

No more doses of the antibiotic are given. At time T hours after the second dose is given, the total amount of the antibiotic in the bloodstream is 7.5 mg.

(c) Show that $T = a \ln \left(b + \frac{b}{e} \right)$, where a and b are integers to be determined.

(4)

st Paper	This resource was created and owned by Pearson Edexcel	666
		Leave
Overtion 0 continu	a.d	blank
Question 9 continu	ea	
		l l



uestion 9 continued	

ast Paper	This resource was created and owned by Pearson Edexcel	666
		Leave
Question 9 con	tinued	blank
Question > con	tillee	

www.mvstudvbro.com

Mathematics C3

Outilitie 2010	www.mystudybro.com	IVIAL
Past Paper	This resource was created and owned by Pearson Edexcel	

6665	
Leave	

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Question 9 continued	blank
	Q9
(Total 8 marks)	

TOTAL FOR PAPER: 75 MARKS

END