

Centre No.						Paper Reference							Surname	Initial(s)
Candidate No.						6	6	6	7	/	0	1	Signature	

Paper Reference(s)

6667/01

Edexcel GCE

Further Pure Mathematics FP1

Advanced/Advanced Subsidiary

Monday 1 February 2010 – Afternoon

Time: 1 hour 30 minutes

Examiner's use only

--	--	--

Team Leader's use only

--	--	--

[illegible]

Materials required for examination

Mathematical Formulae (Pink)

Items included with question papers

Nil

Candidates may use any calculator allowed by the regulations of the Joint Council for Qualifications. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions to Candidates

In the boxes above, write your centre number, candidate number, your surname, initials and signature. Check that you have the correct question paper.

Answer ALL the questions.

You must write your answer to each question in the space following the question.

When a calculator is used, the answer should be given to an appropriate degree of accuracy.

Information for Candidates

A booklet 'Mathematical Formulae and Statistical Tables' is provided.

Full marks may be obtained for answers to ALL questions.

The marks for individual questions and the parts of questions are shown in round brackets: e.g. (2).

There are 9 questions in this question paper. The total mark for this paper is 75.

There are 24 pages in this question paper. Any blank pages are indicated.

Advice to Candidates

You must ensure that your answers to parts of questions are clearly labelled.

You should show sufficient working to make your methods clear to the Examiner.

Answers without working may not gain full credit.

This publication may be reproduced only in accordance with Edexcel Limited copyright policy.
©2010 Edexcel Limited

Printer's Log. No.

Printer's Log. No.
N35143A

W850/R6667/57570 3/5/5/3



Turn over

edexcel 
advancing learning, changing lives

1. The complex numbers z_1 and z_2 are given by

$$z_1 = 2 + 8i \quad \text{and} \quad z_2 = 1 - i$$

Find, showing your working,

- (a) $\frac{z_1}{z_2}$ in the form $a + bi$, where a and b are real,

(3)

- (b) the value of $\left| \frac{z_1}{z_2} \right|$,

(2)

- (c) the value of $\arg \frac{z_1}{z_2}$, giving your answer in radians to 2 decimal places.

(2)



Leave
blank

(Total 7 marks)

Q1



$$f(x) = 3x^2 - \frac{11}{x^2}$$

- (a) Write down, to 3 decimal places, the value of $f(1.3)$ and the value of $f(1.4)$. (1)

The equation $f(x) = 0$ has a root α between 1.3 and 1.4

- (b) Starting with the interval $[1.3, 1.4]$, use interval bisection to find an interval of width 0.025 which contains α . (3)

- (c) Taking 1.4 as a first approximation to α , apply the Newton-Raphson procedure once to $f(x)$ to obtain a second approximation to α , giving your answer to 3 decimal places. (5)



Leave
blank

(Total 9 marks)

Q2



3. A sequence of numbers is defined by

$$u_1 = 2,$$
$$u_{n+1} = 5u_n - 4, \quad n \geq 1.$$

Prove by induction that, for $n \in \mathbb{Z}^+$, $u_n = 5^{n-1} + 1$.

(4)



Leave
blank

(Total 4 marks)

Q3



4.




Figure 1

Figure 1 shows a sketch of part of the parabola with equation $y^2 = 12x$.

The point P on the parabola has x -coordinate $\frac{1}{3}$.

The point S is the focus of the parabola.

(a) Write down the coordinates of S .

(1)

The points A and B lie on the directrix of the parabola.

The point A is on the x -axis and the y -coordinate of B is positive.

Given that $ABPS$ is a trapezium,

(b) calculate the perimeter of $ABPS$.

(5)

Leave
blank

(Total 6 marks)

Q4



5.

$$\mathbf{A} = \begin{pmatrix} a & -5 \\ 2 & a+4 \end{pmatrix}, \text{ where } a \text{ is real.}$$

- (a) Find $\det \mathbf{A}$ in terms of a .

(2)

- (b) Show that the matrix \mathbf{A} is non-singular for all values of a .

(3)

Given that $a = 0$,

- (c) find \mathbf{A}^{-1} .

(3)



Q5

(Total 8 marks)



6. Given that 2 and $5 + 2i$ are roots of the equation

$$x^3 - 12x^2 + cx + d = 0, \quad c, d \in \mathbb{R},$$

- (a) write down the other complex root of the equation.

(1)

- (b) Find the value of c and the value of d .

(5)

- (c) Show the three roots of this equation on a single Argand diagram.

(2)

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Leave
blank

(Total 8 marks)

Q6



7. The rectangular hyperbola H has equation $xy=c^2$, where c is a constant.

The point $P\left(ct, \frac{c}{t}\right)$ is a general point on H .

(a) Show that the tangent to H at P has equation

$$t^2 y + x = 2ct \quad (4)$$

The tangents to H at the points A and B meet at the point $(15c, -c)$.

(b) Find, in terms of c , the coordinates of A and B . (5)



Leave
blank



Q7

1

(Total 9 marks)



8. (a) Prove by induction that, for any positive integer n ,

(b) Using the formulae for $\sum_{r=1}^n r$ and $\sum_{r=1}^n r^3$, show that

(c) Hence evaluate $\sum_{r=15}^{25} (r^3 + 3r + 2)$

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Leave
blank

Question 8 continued



Leave
blank



Leave
blank

(Total 12 marks)

Q8



$$\mathbf{M} = \begin{pmatrix} \frac{1}{\sqrt{2}} & -\frac{1}{\sqrt{2}} \\ \frac{1}{\sqrt{2}} & \frac{1}{\sqrt{2}} \end{pmatrix}$$

- (e) Find the coordinates of C . (2)



Leave
blank

Leave
blank

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

(Total 12 marks)

TOTAL FOR PAPER: 75 MARKS

END

Q9

