

Centre No.						Paper Reference							Surname	Initial(s)
Candidate No.						6	6	6	7	/	0	1	Signature	

Paper Reference(s)

6667/01

Edexcel GCE

Further Pure Mathematics FP1

Advanced/Advanced Subsidiary

Wednesday 17 June 2009 – Morning

Time: 1 hour 30 minutes

Examiner's use only

--	--	--

Team Leader's use only

--	--	--

[illegible]

Materials required for examination

Mathematical Formulae (Orange)

Items included with question papers

Nil

Candidates may use any calculator allowed by the regulations of the Joint Council for Qualifications. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions to Candidates

In the boxes above, write your centre number, candidate number, your surname, initials and signature. Check that you have the correct question paper.

Answer ALL the questions. You must write your answer to each question in the space following the question.

When a calculator is used, the answer should be given to an appropriate degree of accuracy.

Information for Candidates

A booklet 'Mathematical Formulae and Statistical Tables' is provided.

Full marks may be obtained for answers to ALL questions.

The marks for individual questions and the parts of questions are shown in round brackets: e.g. (2).

There are 8 questions in this question paper. The total mark for this paper is 75.

There are 24 pages in this question paper. Any blank pages are indicated.

Advice to Candidates

You must ensure that your answers to parts of questions are clearly labelled.

You should show sufficient working to make your methods clear to the Examiner.

Answers without working may not gain full credit.

This publication may be reproduced only in accordance with Edexcel Limited copyright policy.
©2009 Edexcel Limited.

Printer's Log. No.

Printer's Log. No.
M35146A

W850/R6667/57570 3/5/5/3



Turn over

edexcel 
advancing learning, changing lives

Leave
blank

- $$z_1 = 2 - i \quad \text{and} \quad z_2 = -8 + 9i$$

- (1)

(2)

- (2)

- (3)



Leave
blank

(Total 8 marks)

Q1



2. (a) Using the formulae for $\sum_{r=1}^n r$, $\sum_{r=1}^n r^2$ and $\sum_{r=1}^n r^3$, show that

$$\sum_{r=1}^n r(r+1)(r+3) = \frac{1}{12}n(n+1)(n+2)(3n+k),$$

where k is a constant to be found.

(7)

- (b) Hence evaluate $\sum_{r=21}^{40} r(r+1)(r+3)$.

(2)



Leave
blank

Leave
blank



Leave
blank

(Total 9 marks)

Q2



Leave
blank
$$f(x) = (x^2 + 4)(x^2 + 8x + 25)$$

- (a) Find the four roots of $f(x)=0$.

(5)

- (b) Find the sum of these four roots.

(2)



Leave
blank

(Total 7 marks)

Q3



Leave
blank

- $$x^3 - x^2 - 6 = 0$$

- (a) show that $2.2 < \alpha < 2.3$ (2)
- (b) Taking 2.2 as a first approximation to α , apply the Newton-Raphson procedure once to $f(x)=x^3-x^2-6$ to obtain a second approximation to α , giving your answer to 3 decimal places. (5)
- (c) Use linear interpolation once on the interval $[2.2, 2.3]$ to find another approximation to α , giving your answer to 3 decimal places. (3)

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Leave
blank



Leave
blank



Leave
blank

(Total 10 marks)

Q4



Leave
blank
$$\mathbf{R} = \begin{pmatrix} a & 2 \\ a & b \end{pmatrix}, \text{ where } a \text{ and } b \text{ are constants and } a > 0.$$

(a) Find \mathbf{R}^2 in terms of a and b .

(3)

Given that \mathbf{R}^2 represents an enlargement with centre $(0, 0)$ and scale factor 15,

(b) find the value of a and the value of b .

(5)

[illegible]

Leave
blank

(Total 8 marks)

Q5



Leave
blank

- (1)

- (1)

- (5)

(4)



Leave
blank



Leave
blank

Leave
blank

(Total 11 marks)

Q6



Leave
blank

$$\mathbf{A} = \begin{pmatrix} a & -2 \\ -1 & 4 \end{pmatrix}, \text{ where } a \text{ is a constant.}$$

(2)

$$\mathbf{B} = \begin{pmatrix} 3 & -2 \\ -1 & 4 \end{pmatrix}$$

(3)

Given that Q has coordinates $(k - 6, 3k + 12)$, where k is a constant,

(3)

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Leave
blank

(Total 8 marks)

Q7

[illegible]

Leave
blank

8. Prove by induction that, for $n \in \mathbb{Z}^+$,

(a) $f(n) = 5^n + 8n + 3$ is divisible by 4,

(7)

(b) $\begin{pmatrix} 3 & -2 \\ 2 & -1 \end{pmatrix}^n = \begin{pmatrix} 2n+1 & -2n \\ 2n & 1-2n \end{pmatrix}$

(7)



Leave
blank

Leave
blank

Q8

(Total 14 marks)

TOTAL FOR PAPER: 75 MARKS

END

