Mathematics FP1

Examiner's use only

Team Leader's use only

Question

1

2

Leave

Past Paper

This resource was created and owned by Pearson Edexcel

6667

Centre No.					Paper Reference				Surname	Initial(s)	
Candidate No.			6	6	6	7	/	0	1	Signature	

Paper Reference(s)

6667/01

Edexcel GCE

Further Pure Mathematics FP1 Advanced/Advanced Subsidiary

Wednesday 22 June 2011 – Morning

Time: 1 hour 30 minutes

Materials required for examination
Mathematical Formulae (Pink)Items included with question papers
Nil

Candidates may use any calculator allowed by the regulations of the Joint Council for Qualifications. Calculators must not have the facility for symbolic algebra manipulation or symbolic differentiation/integration, or have retrievable mathematical formulae stored in them.

Instructions to Candidates

In the boxes above, write your centre number, candidate number, your surname, initials and signature. Check that you have the correct question paper.

Answer ALL the questions.

You must write your answer to each question in the space following the question.

When a calculator is used, the answer should be given to an appropriate degree of accuracy.

Information for Candidates

A booklet 'Mathematical Formulae and Statistical Tables' is provided.

Full marks may be obtained for answers to ALL questions.

The marks for individual questions and the parts of questions are shown in round brackets: e.g. (2).

There are 9 questions in this question paper. The total mark for this paper is 75.

There are 32 pages in this question paper. Any blank pages are indicated.

Advice to Candidates

You must ensure that your answers to parts of questions are clearly labelled. You should show sufficient working to make your methods clear to the Examiner. Answers without working may not gain full credit.

This publication may be reproduced only in accordance with Edexcel Limited copyright policy.

©2011 Edexcel Limited.

Printer's Log. No. P38168A



Turn over

Total



■ Past Paper

www.mystudybro.comThis resource was created and owned by Pearson Edexcel

Leave	1
Mank	

	$f(x) = 3^x + 3x - 7$		
(a)	Show that the equation $f(x) = 0$ has a root α between $x = 1$ and $x = 2$.)	
(b)	Starting with the interval $[1, 2]$, use interval bisection twice to find an interval o width 0.25 which contains α .	terval of	
	(3)	
		_	
		_	
		-	
		_	
		_	
		_	
		_	
		_	
		_	
		_	
		_	
		_	
		_	
		_	
		_	
		-	
		_	

Cullillici ZUII	www.mystaaybro.com	Matriciliatios i i i
Past Paper	This resource was created and owned by Pearson Edexcel	6667
		Leave

Question 1 continued		b
		Q 1
	(Total 5 marks)	

Past Paper

This resource was created and owned by Pearson Edexcel

6667

	2	Leave blank
2.	$z_1 = -2 + i$	

(a) Find the modulus of z_1 .

(1)

(b) Find, in radians, the argument of z_1 , giving your answer to 2 decimal places. (2)

The solutions to the quadratic equation

$$z^2 - 10z + 28 = 0$$

are z_2 and z_3 .

- (c) Find z_2 and z_3 , giving your answers in the form $p \pm i \sqrt{q}$, where p and q are integers.
- (d) Show, on an Argand diagram, the points representing your complex numbers z_1 , z_2 and z_3 .

www.mystudybro.com

Mathematics FP1

6667

· · · · · · · · · · · · · · · · · · ·	,,	
Past Paper	This resource was created and owned by Pearson Edexcel	

Question 2 continued	bla

www.mystudybro.comThis resource was created and owned by Pearson Edexcel ■ Past Paper

Question 2 continued	Leave

Summer 2011	www.mystudybro.com	watnematic	SFFI
Past Paper	This resource was created and owned by Pearson Edexcel		6667
			Leave

uestion 2 continued	
	(Total 8 marks)

Past Paper

This resource was created and owned by Pearson Edexcel

Leave blank

3. (a) Given that

$$\mathbf{A} = \begin{pmatrix} 1 & \sqrt{2} \\ \sqrt{2} & -1 \end{pmatrix}$$

- (i) find A^2 ,
- (ii) describe fully the geometrical transformation represented by A^2 .

(4)

(b) Given that

$$\mathbf{B} = \begin{pmatrix} 0 & -1 \\ -1 & 0 \end{pmatrix}$$

describe fully the geometrical transformation represented by **B**.

(2)

(c) Given that

$$\mathbf{C} = \begin{pmatrix} k+1 & 12 \\ k & 9 \end{pmatrix}$$

where k is a constant, find the value of k for which the matrix \mathbf{C} is singular.

(3)

www.mystudybro.com

Juiiiii 20 : 1	yotaays. 0.00	mamomano	
Past Paper	This resource was created and owned by Pearson Edexcel		6667

Question 3 continued	blank

www.mystudybro.comThis resource was created and owned by Pearson Edexcel ■ Past Paper

estion 3 continued	

www.mystudybro.com

Odiffici Zo i i	www.mystadybro.com	Matriciliation	,3111
Past Paper	This resource was created and owned by Pearson Edexcel		6667

Past Paper

www.mystudybro.comThis resource was created and owned by Pearson Edexcel

•	$f(x) = x^2 + \frac{5}{2x} - 3x - 1, x \neq 0$
	(a) Use differentiation to find $f'(x)$. (2)
	The root α of the equation $f(x) = 0$ lies in the interval [0.7, 0.9].
	 (b) Taking 0.8 as a first approximation to α, apply the Newton-Raphson process once to f(x) to obtain a second approximation to α. Give your answer to 3 decimal places. (4)
_	
_	
-	
-	
-	

S Pa

ummer 2011	www.mystudybro.com This resource was created and owned by Pearson Edexcel	Mathematics FP
ast Paper	This resource was created and owned by Pearson Edexcel	666
		Leave blank
Question 4 continued	I	Chaire
		Q4

(Total 6 marks)

Mathematics FP1

Past Paper

This resource was created and owned by Pearson Edexcel

Given that the matrix A maps the point with coordinates (4, 6) onto the point with

6667

5. $\mathbf{A} = \begin{pmatrix} -4 & a \\ b & -2 \end{pmatrix}$, where a and b are constants.

Leave blank

(a) find the value of a and the value of b.

coordinates (2, -8),

(4)

A quadrilateral R has area 30 square units. It is transformed into another quadrilateral S by the matrix A. Using your values of a and b,

(b) find the area of quadrilateral S.

(4)

www.mystudybro.com

	,
Past Paper	This resource was created and owned by Pearson Edexcel

	666	1
ī	eave	1

	bl
Question 5 continued	
C	

www.mystudybro.comThis resource was created and owned by Pearson Edexcel ■ Past Paper

	Leave
Overtion 5 continued	blank
Question 5 continued	
	1

IMMEr 2011 st Paper	www.mystudybro.com This resource was created and owned by Pearson Edexcel	Mathema	tics FP
Question 5 conti	nued		Leave blank

__ Q5

(Total 8 marks)

Past Paper

www.mystudybro.comThis resource was created and owned by Pearson Edexcel

١

$z + 3 i z^* = -1 + 13i$	
where z^* is the complex conjugate of z .	(7)

www.mystudybro.com

Cullillici ZUII	www.mystaaybro.com	Matricillatic	<i>,</i> 5
Past Paper	This resource was created and owned by Pearson Edexcel		6667
			Leave

Past Paper

This resource was created and owned by Pearson Edexcel

Leave blank

7. (a) Use the results for $\sum_{r=1}^{n} r$ and $\sum_{r=1}^{n} r^2$ to show that

$$\sum_{r=1}^{n} (2r-1)^2 = \frac{1}{3}n(2n+1)(2n-1)$$

for all positive integers n.

(6)

(b) Hence show that

$$\sum_{r=n+1}^{3n} (2r-1)^2 = \frac{2}{3}n(an^2+b)$$

where a and b are integers to be found.

(4)

www.mystudybro.com

Guilline Zo i i	www.iiiystaaybio.com	Matricillatic	, 3
Past Paper	This resource was created and owned by Pearson Edexcel		6667

	Leav
O	blan
Question 7 continued	

	,	
Past Paper	This resource was created and owned by Pea	rson Edexcel

11	еı	11	a	u	C:	>		Г	ı
							c	00	-

	1
Question 7 continued	
	-
	_
	-
	_
	-
	-
	-
	_
	-
	_
	-
	-
	-
	-
	_
	-
	_
	-
	-
	-
	-
	-
	_
	-
	-
	-
	-
	_
	-
	_
	-
	_
	-

Sı	ım	m	er	20	1	•
v	4111		CI.	~	, ,	

Summer 2011 Past Paper	www.mystudybro.com This resource was created and owned by Pearson Edexcel	Mathematics FP
Ougstion 7 continued		Leave blank
Question 7 continued		

(Total 10 marks)

Past Paper

This resource was created and owned by Pearson Edexcel

6667

Leave blank

8. The parabola C has equation $y^2 = 48x$.

The point $P(12t^2, 24t)$ is a general point on C.

(a) Find the equation of the directrix of C.

(2)

(b) Show that the equation of the tangent to C at $P(12t^2, 24t)$ is

$$x - ty + 12t^2 = 0$$

(4)

The tangent to C at the point (3, 12) meets the directrix of C at the point X.

(c) Find the coordinates of X.

(4)

Question 8 continued

www.mystudybro.com

Mathen

Past Paper	This resource was created and	d owned by Pearson Edexcel

natic	s FP1 6667	
	Leave blank	
_		
_		
_		
_		
_		
_		
_		
-		
_		
_		
_		
-		
_		
_		
_		
_		
_		
_		
_		
_		
_		
_		
_		
_		
_		

	,
Past Paper	This resource was created and owned by Pearson Edexce

_	6	6	67
I	_e	av	e

Question 8 continued	

Sun	nmei	201	1

nmer 2011	www.mystudybro.com This resource was created and owned by Pearson Edexcel	Mathematics FP
Paper	This resource was created and owned by Pearson Edexcer	Leave
		blank
Question 8 continued	d	
		Q8
		110
	(Tot	al 10 marks)

■ Past Paper

This resource was created and owned by Pearson Edexcel

6667

Leave	1
blank	

9.	Prove by	induction,	tnat for	$n \in \mathbb{Z}$,

(a)
$$\begin{pmatrix} 3 & 0 \\ 6 & 1 \end{pmatrix}^n = \begin{pmatrix} 3^n & 0 \\ 3(3^n - 1) & 1 \end{pmatrix}$$
,

(6)

(b)
$$f(n) = 7^{2n-1} + 5$$
 is divisible by 12.

(6)





www.mystudybro.com

Past Paper	This resource was created and owned by Pearson Edexcel		6667
		1	_

uestion 9 continued	

6667

■ Past Paper

www.mystudybro.comThis resource was created and owned by Pearson Edexcel

estion 9 continued	
Stion 9 Continued	

www.mystudybro.com

Past Paper	This resource was	created and	owned by Pe	arson Edexcel

estion 9 continued	

www.mystudybro.comThis resource was created and owned by Pearson Edexcel ■ Past Paper

	(Total 12 marks)	r
ТОТА	L FOR PAPER: 75 MARKS	