This resource was created and owned by Pearson Edexcel

WMA02

		ering your candidate information
Candidate surname		Other names
Pearson Edexcel International Advanced Level	Centre Number	Candidate Number
Tuesday 15 Ja	nuary	2019
Morning (Time: 2 hours 30 minute:	s) Paper R	reference WMA02/01
Core Mathemati	ics C34	
Advanced		

Candidates may use any calculator allowed by the regulations of the Joint Council for Qualifications. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B). Coloured pencils and highlighter pens must not be used.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
 there may be more space than you need.
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- When a calculator is used, the answer should be given to an appropriate degree of accuracy.

Information

- The total mark for this paper is 125.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶







Leave blank

1. (a) Express $7 \sin 2\theta - 2 \cos 2\theta$ in the form $R \sin (2\theta - \alpha)$, where R and α are constants, R > 0 and $0 < \alpha < 90^{\circ}$. Give the exact value of R and give the value of α to 2 decimal places.

(3)

(b) Hence solve, for $0 \leqslant \theta < 90^{\circ}$, the equation

$$7\sin 2\theta - 2\cos 2\theta = 4$$

giving your answers in degrees to one decimal place.

(4)

(c) Express $28\sin\theta\cos\theta + 8\sin^2\theta$ in the form $a\sin2\theta + b\cos2\theta + c$, where a, b and c are constants to be found.

(3)

(d) Use your answers to part (a) and part (c) to deduce the exact maximum value of $28\sin\theta\cos\theta + 8\sin^2\theta$

(2)

Winter	2019
Past Pape	er

www.mystudybro.com

Mathematics C34

st Paper	This resource was created and owned by Pearson Edexcel	WMA
		Leav
Question 1 cont	inued	blanl
Question 1 cont	mucu	

www.mystudybro.com

Mathematics C34

www.mystadybro.com	Matricinatics Co-
This resource was created and owned by Pearson Edexcel	WMA0

inter 2019 st Paper	www.mystudybro.com This resource was created and owned by Pearson Edexcel	Mathematics C WMA
Question 1 conti	inued	blar

Q1

(Total 12 marks)



This resource was created and owned by Pearson Edexcel

act : ap c.

Leave blank

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

2. Given that

$$\frac{3x^2 + 4x - 7}{(x+1)(x-3)} \equiv A + \frac{B}{x+1} + \frac{C}{x-3}$$

(a) find the values of the constants A, B and C.

(4)

(b) Hence, or otherwise, find the series expansion of

$$\frac{3x^2 + 4x - 7}{(x+1)(x-3)} \qquad |x| < 1$$

in ascending powers of x, up to and including the term in x^2

Give each coefficient as a simplified fraction.

(6)

O NOT WRITE IN THIS AREA							
OT WRITE IN THIS AREA							
OT WRITE IN THIS AREA							
OT WRITE IN THIS AREA							
OT WRITE IN THIS AREA							
OT WRITE IN THIS AREA							
OT WRITE IN THIS AREA							
OT WRITE IN THIS AREA							
OT WRITE IN THIS AREA		٠					
OT WRITE IN THIS AREA							
OT WRITE IN THIS AREA							
OT WRITE IN THIS AREA							
OT WRITE IN THIS ARE							
OT WRITE IN THIS ARE							
OT WRITE IN THIS ARE							
OT WRITE IN THIS ARE			à	÷	í		
OT WRITE IN THIS ARE			Ŀ			1	
OT WRITE IN THIS AR			7	Ξ	ď	,	
OT WRITE IN THIS AR			ш	ı	Ŀ	ł	
OT WRITE IN THIS AF			Ξ	_	ä	Ċ	
OT WRITE IN THIS A					E	J	
OT WRITE IN THIS ,		٠	Ξ	Ξ	7	ľ	
OT WRITE IN THIS ,			Г			Ĩ	
OT WRITE IN TH			79	7			
OT WRITE IN TH			<u> </u>	4		ī	
OT WRITE IN TH			n	ø	Ļ	1	
OT WRITE IN TH			=i	ė	i	ì	
OT WRITE IN TH			÷	÷		i	
OT WRITE IN 1							
OT WRITE IN 1			_	-	7	1	
OT WRITE IN			÷		ŀ	J	
OT WRITE!					۰		
OT WRITE!			ġ	4	ė	J	
OT WRITE!			_	2	d	į,	
OT WRITE			Ξ	Ξ	3	Ġ	
OT WRIT			=	_	7	ď	
OT WRIT			٠ĺ	i	r	î	,
OT WRIT			ы	ě	b	1	
OT WRI			_	_	L	1	
OT WR						1	
M TO			₹		۹	1	
M TO			p	٧	P	1	
M TO	1		=	•	þ	3	
TO			Š	9	3	ł	
TO	١		5	5	۹	J	
TO			-	ę	ø	1	
LON O					ď	1	
ON O				•	þ	Į	
ONC	١,		Ġ.	m	ž		
NO			-3		ľ	J	
0			_	=	7	ı	
0			7		7	1	
0			_	5	d	ĵ	
0			. '	_		1	
\sim			٦	×	ø	j	
			J	ė	ij	3	
			ď.	ñ	á	-	
. (C)	١		٦				

$\diamond \diamond \diamond \diamond \diamond$	
XX D.C	ľ
	ě.
$\wedge \wedge \times \wedge$	á.
$\wedge \wedge i$	٠
\Leftrightarrow	ą.
XXXX	
200	
XX	
	z
	Ş
	Ř
	2
	Ž.
	į
1	
VRITE	
VRIVE	
W RITE	
WRITE	
WRITE	
ZWR KTEN	
TAW/RATEE	
TAWRITE T	
ATTAMENT OF THE	
OT WESTERN	
ONT WARREN	
CATAMENTER	
CATWRITE	
MOT WIRITE	
MOTWRITE	
NOTWENTED	
NOTWRITE	
MOTWRITE	
MOTWRITE	
O MOTAWRITE II	
O MOTWRITE	
IO NOT WRITE	
DO MOT WRITE	
DO MOTWRITE	
DO MOTAWRITE	
DO MOTWRITE!	
DO MOTWRITE!	
DO MOTWERTEN	
DO MOT WRITE!	
DO MOTWRITE!	
DO MOTWRITE!!	
DO MOTWRITE!	
DO MOTAWRITE	

Winter 2019 Past Paper	www.mystudybro.com This resource was created and owned by Pearson Edexcel	Mathematics C34 WMA02
	,	Leave
Question 2 continu	ied	blank



www.mystudybro.com	Mathematics C34
This resource was created and owned by Pearson Edexcel	WMA02

Question 2 continued	

	X		×	
y				
y			×,	
	Ċ			
	ь			
	ŀ	۰	尹	
J	ŀ	9	₹	
K	ŀ	Ž	5	
	ŀ	ě	2	
y	ŀ	ě	3	
K K	ŀ		3	
K	ŀ			ķ
K	ŀ			į
K	ļ			
K	ļ			
K				
K				
K				
K				
K	3			
K	2			
K				
K				
K				

 $\mathbf{Q2}$

blank

Leave

DO NOT WRITE IN THIS AREA

3. The function f is defined by

$$f: x \mapsto 2x^2 + 3kx + k^2$$
 $x \in \mathbb{R}, -4k \leqslant x \leqslant 0$

where k is a positive constant.

(a) Find, in terms of k, the range of f.

(4)

The function g is defined by

$$g: x \mapsto 2k - 3x \qquad x \in \mathbb{R}$$

Given that gf(-2) = -12

(b) find the possible values of k.

(4)

	Leave
	blank
Question 3 continued	
C	



'RITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

12

blank

This resource was created and owned by Pearson Edexcel

Leave blank

The curve C has equation

$$81y^3 + 64x^2y + 256x = 0$$

(a) Find $\frac{dy}{dx}$ in terms of x and y.

(5)

(b) Hence find the coordinates of the points on C where $\frac{dy}{dx} = 0$

(6)

DO NOT WRITE IN THIS AREA

Winter	2019
Past Page	er

www.mystudybro.com

Mathematics C34

								- D		_	•		•	 E	٠,	
								г	•	a	Ę	>	ι	Г	C	1
									d		-	-		-	_	
																1
															•	ı
															`	ć
		į	ė	ġ	ø										_	-
	3	٩	6		ú											
)	ŀ	j		ĺ											
	1	9	d	9	i											
	1	É		ď	_											
	į		_	á	ø										_	
	J	Ę	Ę	ą												
				_												
	1	ι	J	ŗ)											
	ī	i	ì	i	ì											
	ī		ġ	ė	Ė											
	j		J	L	ė											
	J	Ŀ		ė												
	j	F														
	J	ė	=	ġ	p										_	
	1	d		í												
	4	Ė		ė												
	i		÷		i											
	1	b	d	b	ä											
	1	L	i		i										_	-
	1		_		ĺ											
		á	Š	ä	í											
	4	É	4	É												
	J	9	9	ė	'n											
	J	٩		ś	í											
	1	9	4	Ī	ĺ											
	1	Ļ	i		i											
	1	ĺ	í	í	Ĭ											
	j	ľ		3	ď										_	_
	,	1	3	2	_											
	í	á	ë	ĕ	2											
	,		Ť		٦											
	i	i	ø	ġ	ĸ											
	å	١	ė	ø	ø										_	-
	ĵ	ø	ė	٩	ń											
	1	Ŀ	ė		ą											
															_	

	٠				×	
					×	
	^				^	
	×.	_	à	d	β	
	J	ξ	ú			
^	u	7	ı	7	3	
×	1	Ŀ		4		
1	ū	Z	7	Z	2	
į	1	c		c	2	
	3	7	7	7	7	
	Я	ú	ø		9	
	3	9	b	ĕ	'n	
١	Ū	×		``		
\rangle	ì	ŕ	ì	è	Š	ζ
	ì	ģ	j	Ì	ì	>
3	ì		j	Ì)	<
?	N N)	
	3	/				
\ \ \ \	X					<
	3					
	3					
	ķ	ŀ				
	ķ	ŀ				<<<<
くくくくく	3	ŀ				
	ķ	ŀ				
	ķ	ŀ				
><<<<<	ķ	ŀ				
	ķ	ŀ				
	ķ	ŀ				
くくくくくくく	ķ	ŀ				
こくくくくくくくく	ķ	ŀ				
こくくくくくくくく	ķ	ŀ				
><<<<<<<		ŀ				
こくくくくくくくく		ŀ				
こくくくくくくくく		ŀ				
こくくくくくくくくく		ŀ				
へくくくくくくく		ŀ				
こくくくくくくくくく		ŀ				
へくくくくくくくくく		ŀ				
へくくくくくくくく		ŀ				
へくくくくくくくく		ŀ				
、		ŀ				

	7	9			
i				C	
	L		Į.	л	
ì	ř	s	۵	ě	
	r		r		
ļ			P	۰	
	J		۷	d	k
	ě	9			
7	9			ĸ	
		7		7	
		ı,		١.	
		A			
	Ŀ		r	1	ľ
2		2	2	2	2
۰	8	•	ę	,	١,
ú			b	×	Ĭ.
ā			7		
	L	4	۷	4	Ν
	۲		•	7	
S			L	2	
7	•			и	
à			5	Z	
ę		7	e	7	r
					ν
			۱	/	
۵		Š	_	7	
	k				
۰	н	,	Ų	,	
	Ę	à	ģ	è	Ś
	ŀ			Ì	6
		2	2	Ž	5
ì	è	Í	ì	4	
ì	è	Í	ì	4	
ì	è	Í	ì	4	
į					
į					
į					
į					
į					
į					
į					
į					
į					
į					
į					

Paper	This resource was created and owned by Pearson Edexcel	WMA02
		Leave
0 4 4 4		blank
Question 4 continued		
		—
		—
		—
		_
		—
		—
		—
		Ι

Mathematics C34

VIIILEI ZUIJ	www.mystudybro.com	Mathematics C34
ast Paper	This resource was created and owned by Pearson Edexcel	WMA02

uestion 4 continued	b

Winter 2019 Past Paper	www.mystudybro.com This resource was created and owned by Pearson Edexcel	Mathematics C34
Question 4 conti	nued	Leave blank

Q4 (Total 11 marks)



blank

■ Past Paper

5. The angle x and the angle y are such that

$$\tan x = m \text{ and } 4 \tan y = 8m + 5$$

where m is a constant.

Given that $16 \sec^2 x + 16 \sec^2 y = 537$

(a) find the two possible values of m.

(4)

Given that the angle x and the angle y are acute, find the exact value of

(b) $\sin x$

(2)

(c) coty

(2)

Winter	2019
Past Pape	er

www.mystudybro.comThis resource was created and owned by Pearson Edexcel

Mathematics C34
WMA02

Question 5 continued	
Question 5 continued	

				۰	-	٩	
	ï		٩	ú	ė		۱
				3		7	
			ø	,	Ę	٩	
	٠		ъ	á	_	a	
			-	7	-	7	
	ı		ė	_		_	
	۰		=	7		þ	۰
			d		=	à	
	·		7	ä	ä		
			e	_	-	١	
			٩	ú			۱
	٠						
			п	۰	-	١	
						ř	
						è	
			貝		S	Ξ	
			E	ø	ĕ	þ	۰
						ņ	
			ш		F	۹	
			ø	d	١.	J	
			í	ì		ĕ	
	·					3	
			ш				
						3	۰
				۰		٩	
			ш	d	9	J	۰
			ш				
			U	Ė	7	ġ	
			d		2	Ξ	
			-	7	=	7	
						ı	
			ш			1	
			è				
			=	7	r		
			è	ä		ė	
			ñ				
			Ξ	7			
				à	è	7	
			٩		,	ē	۱
			i.				
		۰	٠		۹	'n	
			ø	ø	ø	,	
			'n	i	ė	ė	
			ø		С	2	
			E	1	٦	ī	
		۰		٩	r	٦	
			Į	j	Ħ	1	۰
			9		٠	ś	
			à	ø	ò	۲	
			~				
۰			*				
		٠					
		:					

	ú			
<				
Ż	ă			
\ < .<				
				×
<				
				ŀ
Ć		į		
	н	-	-	í
	ė	5	9	Ĺ
Ż	1	2	P	Ĺ
Κ	i	2	2	Ĺ
	Ħ		2	Ĺ
5	٦		2	į
Ż	Ž			į. Pe
Ż	Ž		4	í
Ż	Ž		4	į
Ż	Ž		4	ĺ
Ż	Ž		1	
Ż	Ž		1	ľ
Ż	Ž			ľ
<	Ž	X		ľ
<	Ž	XXX		ľ
<	Ž	X	/ /	ľ
<	Ž	XXX		ľ
Ż	Ž	XXX		ľ
.<	Ž			ľ
.<	Ž			ľ
.<	Ž			ľ
<.<.	开工用 医全色电池			ľ
<.<.	开工用 医全色电池			ľ
<.<.	开工用 医全色电池			ľ
<.<.	开工用 医全色电池			ľ
.<	开工用 医全色电池			ľ
<.<.	开工用 医全色电池			ľ
<.<.	开工用 医全色电池			ľ
<.<.	开工用 医全色电池			ľ
<.<.	开工用 医全色电池			ľ
<.<.	开工用 医全色电池			ľ
<.<.	开工用 医全色电池			ľ

	Leave blank
Question 5 continued	



Q5

blank

	· · · · · · · · · · · · · · · · · · ·
6.	Relative to a fixed origin O , the points A , B and C have coordinates $(2, 1, 9)$, $(5, 2, 7)$ and $(4, -3, 3)$ respectively.
	The line l passes through the points A and B .
	(a) Find a vector equation for the line <i>l</i> . (2)
	(b) Find, in degrees, the acute angle between the line l and the line AC . (3)
	The point D lies on the line l such that angle ACD is 90°
	(c) Find the coordinates of D. (4)
	(d) Find the exact area of triangle <i>ADC</i> , giving your answer as a fully simplified surd. (2)

/inter 2019	www.mystudybro.com	Mathematics C34
ast Paper	This resource was created and owned by Pearson Edexcel	WMA02

Duestion 6 continued		bl
	estion 6 continued	



www.mystuaybro.com	Mathematics C34
This resource was created and owned by Pearson Edexcel	WMA02

ation Countries d	
stion 6 continued	

/inter 2019 ast Paper	www.mystudybro.com This resource was created and owned by Pearson Edexcel	Mathematics C3
Question 6 continue	ed	Leave blank

DO NOT WRITE IN THIS AREA

(Total 11 marks)



Q6

blank

Past Paper

Leave

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

7.




Figure 1

Figure 1 shows a sketch of part of the curve with equation

$$y = \frac{x+7}{\sqrt{2x-3}} \qquad x > \frac{3}{2}$$

The region R, shown shaded in Figure 1, is bounded by the curve, the line with equation x = 4, the x-axis and the line with equation x = 6

(a) Use the trapezium rule with 4 strips of equal width to find an estimate for the area of R, giving your answer to 2 decimal places.

(4)

(b) Using the substitution u = 2x - 3, or otherwise, use calculus to find the exact area of R, giving your answer in the form $a + b\sqrt{5}$, where a and b are constants to be found.

(7)

			i	á	
4		S	Í	7	
	3	7	۹	ġ	
J	Ŀ	J			
3	3		į	5	
1	ŕ	٩	۴	•	
1	Ŧ		į	5	
ì	ø	ø	ø	P	
1	9	۹	ě	ų	
4	ľ	A	Ę	١	
ŀ				7	
1		9	F		
ï			L	÷	
í	k			7	
1	r	۰	İ	•	
3	•	9	9	P	
4			-	۰	
á	ě		i	=	
1	r	ì		ı	
1	b	d	b	а	
1	L	_	_	_	
1	r	7		7	
1	ŧ		ŧ	۳	
1	ρ	٩	ė	ø	
3	b	d			
J	۹	٠		'n	
1	Ę		S	3	
j	ì	ė	P	7	
i					
1	Ŀ	ė	9	i	
1	Ę	_	2		
1	ρ	•	7	ķ	
4	٩	ė	ė	ø	
٦	÷	é	9	ø	٠
'n		e	2	3	
1	ż		ċ		
Ì	ľ	1	ġ	Ñ	
1	9	ú	ø	7	
î	ø	P	٩	ń	
1	Ĺ	ė			
1	-	٠	-	4	

Winter 2019	www.mystudybro.com	Mathematics C34
Past Paper	This resource was created and owned by Pearson Edexcel	WMA02

	l t
uestion 7 continued	



Paper	This resource was created and owned by Pearson Edexcel	W
Question 7 continued		

ter 2019 Paper	www.mystudybro.com This resource was created and owned by Pearson E	
		Leav blank
Question 7 contin	ued	

DO NOT WRITE IN THIS AREA

(Total 11 marks)



Q7

Leave blank

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

A curve has parametric equations

$$x = t^2 - t, \qquad y = \frac{4t}{1 - t} \qquad t \neq 1$$

(a) Find $\frac{dy}{dx}$ in terms of t, giving your answer as a simplified fraction.

(4)

(b) Find an equation for the tangent to the curve at the point P where t = -1, giving your answer in the form ax + by + c = 0 where a, b and c are integers.

(4)

The tangent to the curve at P cuts the curve at the point Q.

(c) Use algebra to find the coordinates of Q.

(5)

٠,		ė	ø	ø	
4		ú	ě	ń	
٦	ŀ	Ė		Ĩ	
1	ķ	å	ķ	ä	
1	ρ	٩	ø	ø	
4	ķ	d	ķ		
÷	à	á	ġ	ø	
Į	Ę	è		ų	
4	ľ	A	۴	١	
		ŗ		4	
ŀ				7	
ŀ			f	7	
j		đ	b	٩	
1	Ŀ		÷		
J	ŀ				
ì	4		ı	_	
1	ā	ø	P	_	
3	ę	•	Ŧ	=	
	Ė				
'n		į		ė	
1	Ŀ	á	h	á	
i	Ĺ	Ε		-	
1		۰	7	۰	
1	į		ŧ		
1	ė	٩	ė	ø	
4	b	d	b		
ļ	۹	9	ė	b	
1	ş	ξ	S	3	
J	ø	ę	۰	7	
,	ï				
J	þ	ą		ą	
ŝ	à	ø	Ġ		
1	ľ		3)	
	_	Ξ	=	_	
1	1	7	7	P	
1		2	2		
1					
1					
1	ζ		2)	
1	ζ		2)	
1	ζ		2)	
1			2)	
1	ζ		2)	
1	ζ		2)	
1	ζ		2)	
1	ζ		2)	
1	ζ		2)	
1	ζ		2)	
1	ζ		2)	
1	ζ		2)	
1	ζ		2)	
1	ζ		2)	
1	ζ		2)	
1	ζ		2)	
1	ζ		2)	
1	ζ		2)	
1	ζ		2)	
1	ζ		2)	
1	ζ		2)	
1	ζ		2)	
1	ζ		2)	
1	ζ		2)	
1	ζ		2)	
1	ζ		2)	
1	ζ		2)	
1	ζ		2)	
1	ζ		2)	


					4	
	Ĵ	/			,	
×	ij	ş		r.	4	
/	Š	7	7	7		
ľ	1		Ŀ			
1	ú	ń	ù	H	ν	
×	J	ч	β	6		
/	ú	4	à	Ŕ	r	
×	3	۹	d	Ľ		
1	×	Κ,		S		
×	1	Ы	ρ	٩		
×	Š	Z	_	Š		
1	į	\overline{z}	2	Ξ		
×	Š		Г	7	7	
/	į	-	7	7		
×	J	H	è	۹	γ	
7	ď	٦,	2			
N	d	•		P	٢	
×	1	ĸ,	ü	Ĺ		
N	d		è	9	ľ	
į,	ĺ,	N	2	۲.		
×	J	Ù	Ľ		ľ	
1	i	7	7	7		
×	J	P	•	9		
	i	١,	ø	6	P	
×	si	Ŕ	ù	ń	ľ	
	J		þ	Ĺ	Þ	
N	Ž	5	È	ś	ď	
	J	5	ĕ	5		
×	Ú	9	7	5	'n	
	á	Ě				
×	J	۳	,	5	ŀ	
	A	ė	P	6		
×	1	ĸ	2		ŀ	
	A	=	ä	É	ř	
×	'n	é	٤	Σ	2	
	į		7	7		
×	v	й	ù	٤	1	
	1	K	2		P	
×						
				S		
	ĭ		Ž	ì	S	
X	Ì		2	Ì	Ę.	
X	Ž	Š	2	}	5	
X	Ĭ		3		\ \ \ \ \	
X	X		2			
X	Ž×××××××××××××××××××××××××××××××××××××		3			
X X X X	XXXXX					
× × ×	X X X X X X X X X X X X X X X X X X X					
	XXXXXX					
	X					
	XXXXXXX					
	¥ × × × × × × × × × × × × × × × × × × ×					
	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX					
	× × × × × × × × × × × × × × × × × × ×					
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \					
	7					
	\{\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \					
	\{\}\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \					
	\{\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \					
	\{\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \					
	\{\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \					
	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\					

	Leave
	blank
Question 8 continued	

			_
			·
			-
			\sim
			~
			(Kinto)
			-
			_
			100
			-
			_
			ald.
			-
			- 4
			т.
			100
			and the last
			_
			1.0
			-
			=
			1.0
			\mathbf{v}_{F}
			No.
			20.
			77
			PV.
			prints.
			1414
			-
			-T2

nestion 8 continued	

4					
Ŕ					
š					
4					
Ą					
			Б		
1					
1					
į					
4					
	ŀ		j	₹	
			Z	5	
į	ľ	į	7	2	
ã	ľ	į	2	5	Š
ì			3	3	ķ
J	į		2	3	ķ
J	į				Ķ
J	į			2	
1	į				
1	į				
J	į				





Q8

blank

Past Paper

This resource was created and owned by Pearson Edexcel

9.

(a) Find $\int x \sin 2x \, dx$

(3)

(b) Find $(x + \sin 2x)^2 dx$

(4)




Figure 2

Figure 2 shows a sketch of part of the curve C with equation $y = x + \sin 2x$.

The region R, shown shaded in Figure 2, is bounded by C, the x-axis and the line with equation $x = \frac{\pi}{2}$

The region R is rotated through 2π radians about the x-axis to form a solid of revolution.

(c) Find the exact value for the volume of this solid, giving your answer as a single, simplified fraction.

(3)

Question 9 continued	

Mathematics C34

www.mystudybro.com	Mathematics C34
This resource was created and owned by Pearson Edexcel	WMA02

Question 9 continued	1

nter 2019 Paper	www.mystudybro.com This resource was created and owned by Pearson Edexcel	Mathematics (
Question 9 continued		Lo bl

DO NOT WRITE IN THIS AREA



Q9

(Total 10 marks)

Diagram not

drawn to scale

DO NOT WRITE IN THIS AREA

10.

This resource was created and owned by Pearson Edexcel

Leave blank




Figure 3

Figure 3 shows a container in the shape of an inverted right circular cone which contains some water.

The cone has an internal radius of 3 m and a vertical height of 5 m as shown in Figure 3.

At time t seconds, the height of the water is h metres, the volume of the water is $V \text{m}^3$ and water is leaking from a hole in the bottom of the container at a constant rate of 0.02 m³ s⁻¹

[The volume of a cone of radius r and height h is $\frac{1}{3}\pi r^2 h$.]

(a) Show that, while the water is leaking,

$$h^2 \frac{\mathrm{d}h}{\mathrm{d}t} = -\frac{1}{k\pi}$$

where k is a constant to be found.

(5)

Given that the container is initially full of water,

(b) express h in terms of t.

(3)

(c) Find the time taken for the container to empty, giving your answer to the nearest minute.

(2)

www.mystudybro.comThis resource was created and owned by Pearson Edexcel

Question 10 continued	Leave
Z	



Paper	This resource was created and owned by Pearson Edexcel	WMA
		Leav blan
Question 10 contin	ued	

1		ė	ø	ø	
4	ş	Ġ	ě	ė	
٦		ė		a	
4	Ŀ		Ŀ	а	
4	á		ä	ď	
J	E		c		
ľ	7		Ξ	2	
ì		5	ï	_	
	7	7	7	ч	
1		٠	_	ċ	
1	L		r	١	
i	3	1	_	ã	
3	=		F	۳	
ì	ė		h	i	
ì	Ŀ	_	·	_	
1	r	•	7	=	
J	•			μ	
4			i		
á	ě		ė	=	
1	r	ì		ı	
1	b	d	b	а	
1	L	_	_	i	
1	r	7	7	-	
1	ì				٠
4	ġ	١	å	ø	
4	Ŀ	á	Ŀ	×	
þ	b	è	ċ		
1	g	E	e	7	
í,	ä	3	₽	ø	
4	7				
1	L		_	-	
1	ľ	۰	1	4	
2	ġ	ø	q	k	٠
1	Ĺ		à	ı	
,	4	4	2	_	
1	3	ä	þ	ď	
î	É	í		Ė	
1				٦	
7	ρ	P	۹	ĸ	
4	Ĺ	٤	ú	ı	٠
	ã		S		
4	r	7	4	١	
Į	b	ę		ą	

ter 2019 Paper	www.mystudybro.com This resource was created and owned by Pearson Edexcel	Mathematics (
		Lo bl
Question 10 con	tinued	



(Total 10 marks)

Leave blank

11. (a) Given that $0 \le f(x) \le \pi$, sketch the graph of y = f(x) where

$$f(x) = \arccos(x - 1), \quad 0 \le x \le 2$$

(2)

The equation $\arccos(x-1) - \tan x = 0$ has a single root α .

(b) Show that $0.9 < \alpha < 1.1$

(2)

The iteration formula

$$x_{n+1} = \arctan(\arccos(x_n - 1))$$

can be used to find an approximation for α .

(c) Taking $x_0 = 1.1$ find, to 3 decimal places, the values of x_1 and x_2

(2)

	ì	d	ė	ø	ø	
	1	۹	ń	ě	ú	
	1	ŀ	i		ĺ	
	1	ķ	d	ķ	а	
	1	ρ	٩	ρ	ø	
	3	ķ	d	ķ		
	÷	à	á	ġ	ø	
	J	Ę	è	ą		
	4	r	A	ρ	ø	
		u	ŗ	١,	ų	
					7	
	1			F		
	ì	ė		h	i	
	ì	Ŀ	_	÷	_	
	1	r		7	-	
	1	ļ		ļ,	_	
	3	3		7	P	
	1	ş	í	-	ш	
		ŧ		ŧ		
	i		Ŀ		٠	
	1	Ľ		Ľ		
	i	7	-	7	7	
	4	þ	ę	Ė	q	
	i	i		ė		
		á		ä	ď	
	4	Ŀ	a	E		
	j	6		3	Ξ	
	ì	d	Ē		4	
	i	ä	3	₽	þ	
	1					
	1	L	ė		i	
	1	Ę	_	2	7	
	1	۴	-	7	١	
		٩	ú	ø	g	
	1	÷	ę	ā	ø	٠
	ń	ė	۷	_	4	
	4	1	Ŧ	1	7	٠
	5	à	ø	ń	ĸ	
	4	Ľ	Ŀ	ĺ))	٠
		7		ď	í	
	4	r	7	٦	١	
	Į	b	ę		ą	

inter 2019 st Paper	www.mystudybro.com This resource was created and owned by Pearson Edexcel	Mathematics C3
Question 11 con		Leave blank
		Q11



(Total 6 marks)

blank

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Leave

ast i apei

12. Given that k is a positive constant,

(a) sketch the graph with equation

$$y = 2|x| - k$$

Show on your sketch the coordinates of each point at which the graph crosses the *x*-axis and the *y*-axis.

(2)

(b) Find, in terms of k, the values of x for which

$$2|x| - k = \frac{1}{2}x + \frac{1}{4}k$$

(3)

RITE IN THIS AREA

■ Past Paper

www.mystudybro.comThis resource was created and owned by Pearson Edexcel

	un	lei	natic	5 63
--	----	-----	-------	------

_	_	
WN	ЛΑ	.02
	• • • •	

			я	
r	à	a	ċ	
r	À	Я	í	
Ľ	i	n	i	
ζ	j	ŋ	j	
Ų	į	Ą	į	
Ų	į	9)	
Ų	/	0		
Ç	1	9	į	
Ç	/		į	
Ç	/		į	
Ç	/	9	į	
	/		į	
	/	1	į	
Ų	/			
Ĺ	1			
L	1			
ŀ	1			
ŀ	1			
ŀ	1			
	1			
	1			
	1			
	1			
	/			
	/			
	1			
	1			
	1			
	/			

Winter 2019

Vinter 2019 ast Paper	www.mystudybro.com This resource was created and owned by Pearson Edexcel	Mathematics C34
-1		Leave
Question 12 cor	ntinued	blank
		Q12
	(Tot	ral 5 marks)
	(200	



Past Paper

13. A scientist is studying a population of insects. The number of insects, N, in the population, t days after the start of the study is modelled by the equation

Leave blank

DO NOT WRITE IN THIS AREA

 $N = \frac{240}{1 + ke^{-\frac{t}{16}}}$

where k is a constant.

Given that there were 50 insects at the start of the study,

(a) find the value of k

(2)

(b) use the model to find the value of t when N = 100

(3)

(c) Show that

$$\frac{\mathrm{d}N}{\mathrm{d}t} = \frac{1}{p}N - \frac{1}{q}N^2$$

where p and q are integers to be found.

(5)

DO NOT WRITE IN THIS AREA

WMA02

estion 13 continued		

www.mystudybro.com

Math

nematics 63

Leav	Paper	This resource was created and owned by Pearson Edexcel	WMA0
			Leave
uestion 15 continued	0	41	blank
	Question 13 con	tinuea	
Į.			

t Paper	This resource was created and owned by Pearson Edexcel	WMA02
		Leave blank
Question 13 con	tinued	Oldlik

■ Past Paper

1				Ħ		ė	9	
1				à	d	2	_	
1				7	3	3		
ı	"这个,我们也不是不是,我们也不是不是,我们也不是不是,我们也不是,我们也不是,我们也不是有什么,我们也不是我们的。"		* . * . * . * . * . * . * . * . * . * .		Ī	7	3	١
1				7	7	•	٦	
1				В	-		۹	
1							Ē	
1				ġ		S	2	
1				ū	Ė	Ē	2	
1				×	i		3	
1				ø	d	Ļ	d	
1				H	ė		ė	
1				×	ė		4	
1				÷	_		3	
1					J	ľ	1	
1				1		-	ı	
1				Ē	3	Ξ	Ξ	
1				Ĭ	d	ē	?	
1				đ	-		-	
1				i		_	3	
ı						Ī	3	
1				Ē	7	ľ		
1				7		Ť		
1				ž		2	Ξ	
1				Ę	ú	ŗ	J	
1				Ė				
1				٦		3	3	
1				Ē	2	_	1	
ı				ā	7	ζ		
1				ï	i	ì	ï	
1				Ĭ	В	Ę	1	۰
1				7	١	3	ś	
1				ŧ	•	7	_	
1								
1								
1	۰							
1								
1								
1								
1								
1								
1								
1								
1								
1	٠							
ı								
1								
J								
ı								
ı								
1								
ı								
ı						/		
ı	,			×				,
ı		/			j	/		

DO NOT WRITE IN THIS AREA

uestion 13 continued	Leave blank
uconon 10 continucu	
	Q13
(Total 10	marks)
TOTAL FOR PAPER: 125 N	
END	