


Mark Scheme (Results)


January 2008



GCE

GCE Mathematics (6677/01)

January 2008
6677 Mechanics M1
Mark Scheme

Question Number	Scheme	Marks
1(a)	 $I = 4(5 - 1) = \underline{16 \text{ N s}}$	M1 A1 (2)
(b)	<p>CLM: $4 \times 5 - m \times 3 = 4 \times 1 + m \times 2$</p> $\Rightarrow m = \underline{3.2}$ <p>or</p> $16 = m(3 + 2)$ $\Rightarrow m = \underline{3.2}$	M1 A1 DM1 A1 (4) or M1 A1 DM1 A1 (4) 6
2(a)	$27 = 0 + \frac{1}{2} a \cdot 3^2 \Rightarrow a = \underline{6}$	M1 A1 (2)
(b)	$v = 6 \times 3 = \underline{18 \text{ m s}^{-1}}$	M1 A1 f.t. (2)
(c)	<p>From $t = 3$ to $t = 5$, $s = 18 \times 2 - \frac{1}{2} \times 9.8 \times 2^2$</p> $\text{Total ht.} = s + 27 = \underline{43.4 \text{ m}, 43 \text{ m}}$	M1 A1 f.t. M1 A1 (4) 8

Question Number	Scheme	Marks
<p>3.(a)</p> <p>(b)</p> <p>(c)</p>	 <p>Shape 'V'</p> <p>Shape for last 22s (with $V > 15$)</p> <p>Figures</p> <p>$\frac{1}{2}(15 + 5) \times t = 120$</p> <p>$\Rightarrow t = 12 \rightarrow T = 12 + 16 + 22 = \underline{50 \text{ s}}$</p> <p>$120 + \frac{1}{2}(V + 5) \cdot 16 + 22V = 1000$</p> <p>Solve: $30V = 840 \Rightarrow V = \underline{28}$</p>	<p>B1</p> <p>B1</p> <p>B1 (3)</p> <hr/> <p>M1</p> <p>M1 A1 (3)</p> <hr/> <p>M1 <u>B1</u> A1</p> <p>DM1 A1 (5)</p> <p>11</p>
<p>4.(a)</p> <p>(b)</p> <p>(c)</p>	<p>R (// plane): $49 \cos \theta = 6g \sin 30$</p> <p>$\Rightarrow \cos \theta = 3/5 *$</p> <p>R (perp to plane): $R = 6g \cos 30 + 49 \sin \theta$</p> <p>$R \approx \underline{90.1 \text{ or } 90 \text{ N}}$</p> <p>R (// to plane): $49 \cos 30 - 6g \sin 30 = 6a$</p> <p>$\Rightarrow a \approx \underline{2.17 \text{ or } 2.2 \text{ m s}^{-2}}$</p>	<p>M1 A1</p> <p>A1 (3)</p> <hr/> <p>M1 A1</p> <p>DM1 A1 (4)</p> <hr/> <p>M1 A2,1,0</p> <p>A1 (4)</p> <p>11</p>

Question Number	Scheme	Marks
5.(a)	 <p>M(A): $T \times 4 = 12g \times 2.5$ $T = \underline{7.5g \text{ or } 73.5 \text{ N}}$</p> <p>R($\uparrow$) $S + T = 12g$ $\Rightarrow S = \underline{4.5g \text{ or } 44.1 \text{ N}}$</p>	M1 A1 A1 M1 A1 (5)
(b)	 <p>M(A) $V \times 4 = 16g \times y + 12g \times 2.5$ $V = \underline{4gy + 7.5g \text{ or } 39.2y + 73.5 \text{ N}}$</p>	M1 A1 A1 (3)
(c)	<p>$V \leq 98 \Rightarrow 39.2y + 73.5 \leq 98$ $\Rightarrow y \leq 0.625 = 5/8$</p> <p>Hence "load must be no more than 5/8 m from A" (o.e.)</p>	M1 DM1 A1 (3) 11
6.(a)	<p>Speed = $\sqrt{5^2 + 8^2} \approx \underline{9.43 \text{ m s}^{-1}}$</p>	M1 A1 (2)
(b)	<p>Forming $\arctan 8/5$ or $\arctan 5/8$ oe</p>	M1
(c)	<p>Bearing = $360 - \arctan 5/8$ or $270 + \arctan 8/5 = \underline{328}$</p>	DM1 A1 (3)
(d)	<p>At $t = 3$, p.v. of $P = (7 - 15)\mathbf{i} + (-10 + 24)\mathbf{j} = -8\mathbf{i} + 14\mathbf{j}$</p> <p>Hence $-8\mathbf{i} + 14\mathbf{j} + 4(u\mathbf{i} + v\mathbf{j}) = \mathbf{0}$ $\Rightarrow \underline{u = 2, v = -3.5}$</p>	M1 A1 M1 DM1 A1 (5)
(d)	<p>p.v. of P t secs after changing course = $(-8\mathbf{i} + 14\mathbf{j}) + t(2\mathbf{i} - 3.5\mathbf{j})$ $= 7\mathbf{i} + \dots$</p> <p>Hence total time = $\underline{10.5 \text{ s}}$</p>	M1 DM1 A1 (3) 13

Question Number	Scheme	Marks
7.(a)	$B: \quad 2mg - T = 2m \times 4g/9$ $\Rightarrow T = \underline{10mg/9}$	M1 A1 A1 (3)
(b)	$A: \quad T - \mu mg = m \times 4g/9$ Sub for T and solve: $\mu = 2/3 *$	M1 B1 A1 DM1 A1 (5)
(c)	When B hits: $v^2 = 2 \times 4g/9 \times h$ Deceleration of A after B hits: $ma = \mu mg \Rightarrow a = 2g/3$ Speed of A at P : $V^2 = 8gh/9 - 2 \times 2g/3 \times h/3$ $\Rightarrow V = \frac{2}{3} \sqrt{(gh)}$	M1 A1 M1 A1 f.t. DM1 A1 (6)
(d)	Same tension on A and B	B1 (1) 15