



## **Mark Scheme (Results)**

Summer 2018

Pearson Edexcel International Advanced  
Level in Chemistry (WCH01) Paper 01  
The Core Principles of Chemistry

## Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at [www.edexcel.com](http://www.edexcel.com) or [www.btec.co.uk](http://www.btec.co.uk). Alternatively, you can get in touch with us using the details on our contact us page at [www.edexcel.com/contactus](http://www.edexcel.com/contactus).

## Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: [www.pearson.com/uk](http://www.pearson.com/uk)

Summer 2018

Publications Code WCH01\_01\_MS\_1806

All the material in this publication is copyright

© Pearson Education Ltd 2018

## General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

## Using the Mark Scheme

Examiners should look for qualities to reward rather than faults to penalise. This does NOT mean giving credit for incorrect or inadequate answers, but it does mean allowing candidates to be rewarded for answers showing correct application of principles and knowledge. Examiners should therefore read carefully and consider every response: even if it is not what is expected it may be worthy of credit.

The mark scheme gives examiners:

- an idea of the types of response expected
- how individual marks are to be awarded
- the total mark for each question
- examples of responses that should NOT receive credit.

/ means that the responses are alternatives and either answer should receive full credit.

( ) means that a phrase/word is not essential for the award of the mark, but helps the examiner to get the sense of the expected answer.

Phrases/words in **bold** indicate that the meaning of the phrase or the actual word is **essential** to the answer.

ecf/TE/cq (error carried forward) means that a wrong answer given in an earlier part of a question is used correctly in answer to a later part of the same question.

Candidates must make their meaning clear to the examiner to gain the mark. Make sure that the answer makes sense. Do not give credit for correct words/phrases which are put together in a meaningless manner. Answers must be in the correct context.

## Quality of Written Communication

Questions which involve the writing of continuous prose will expect candidates to:

- write legibly, with accurate use of spelling, grammar and punctuation in order to make the meaning clear
- select and use a form and style of writing appropriate to purpose and to complex subject matter
- organise information clearly and coherently, using specialist vocabulary when appropriate.

Full marks will be awarded if the candidate has demonstrated the above abilities.

Questions where QWC is likely to be particularly important are indicated (QWC) in the mark scheme, but this does not preclude others.

**A (multiple choice)**

n	Answer
	<b>The only correct answer is D</b> <i>A is not correct because it shows the simplest ratio of atoms present</i> <i>B is not correct because it shows the actual numbers of atoms present in a molecule</i> <i>C is not correct because it shows the structural arrangement but not all the bonds</i>
n	Answer
	<b>The only correct answer is B</b> <i>A is not correct because it is the mass of potassium ions in 1 dm<sup>3</sup>, not 5 dm<sup>3</sup></i> <i>C is not correct because it is the maximum mass of potassium in 5 dm<sup>3</sup></i> <i>D is not correct because it is the mass of potassium ions multiplied by 1000.</i>
n	Answer
	<b>The only correct answer is C</b> <i>A is not correct because it is a factor of ten out</i> <i>B is not correct because it is just the number of molecules present</i> <i>D is not correct because it is failing to find the number of moles and failing to multiply by 3</i>

n	Answer
	<p><b>The only correct answer is C</b></p> <p><i>A is not correct because it is dividing by <math>10^6</math></i></p> <p><i>B is not correct because it is dividing by <math>10^4</math></i></p> <p><i>D is not correct because it is multiplying by <math>10^6</math></i></p>
n	Answer
	<p><b>The only correct answer is C</b></p> <p><i>A is not correct because cold packs have a positive value</i></p> <p><i>B is not correct because cold packs have a positive value and hot packs a negative value</i></p> <p><i>D is not correct because hot packs have a negative value</i></p>
n	Answer
	<p><b>The only correct answer is D</b></p> <p><i>A is not correct because atomisation produces gaseous atoms</i></p> <p><i>B is not correct because combustion is reaction with oxygen</i></p> <p><i>C is not correct because formation is the formation of a compound from its elements</i></p>

n	Answer
	<p><b>The only correct answer is B</b></p> <p><i>A is not correct because it should not include the mass of zinc</i></p> <p><i>C is not correct because the specific heat capacity of water is usually used</i></p> <p><i>D is not correct because the specific heat capacity of water is usually used</i></p>
n	Answer
	<p><b>The only correct answer is B</b></p> <p><i>A is not correct because though twice as much heat released it heats 1.33 x volume of solution</i></p> <p><i>C is not correct because twice amount of heat released as twice as much reactant</i></p> <p><i>D is not correct because twice amount of heat released as twice as much reactant</i></p>
n	Answer
	<p><b>The only correct answer is D</b></p> <p><i>A is not correct because it is enthalpy of atomisation plus first and second ionisation energies</i></p> <p><i>B is not correct because it is first and second ionisation energies</i></p> <p><i>C is not correct because it is addition of electrons</i></p>

n	Answer
	<p><b>The only correct answer is A</b></p> <p><i>B is not correct because the log of the of first value is unnecessary</i></p> <p><i>C is not correct because the values on Graph 2 have too big a range</i></p> <p><i>D is not correct because the values on Graph 2 have too big a range</i></p>
n	Answer
	<p><b>The only correct answer is B</b></p> <p><i>A is not correct because it confuses quantum shell and types of sub-shell</i></p> <p><i>C is not correct because it counts all four sub-shells</i></p> <p><i>D is not correct because it counts all orbitals</i></p>
n	Answer
	<p><b>The only correct answer is D</b></p> <p><i>A is not correct because it is the largest and not isoelectronic</i></p> <p><i>B is not correct because it is the second largest</i></p> <p><i>C is not correct because it is larger than F<sup>-</sup></i></p>



n	Answer
	<p><b>The only correct answer is A</b></p> <p><i>B is not correct because it is not metal ions</i></p> <p><i>C is not correct because it is not metal ions</i></p> <p><i>D is not correct because it is not metal ions</i></p>
n	Answer
	<p><b>The only correct answer is B</b></p> <p><i>A is not correct because copper(II) ions move towards the negative electrode</i></p> <p><i>C is not correct because manganate(VII) ions move towards the positive electrode and copper(II) ions move towards the negative electrode</i></p> <p><i>D is not correct because manganate(VII) ions move towards the positive electrode</i></p>
n	Answer
	<p><b>The only correct answer is B</b></p> <p><i>A is not correct because both do not contain ions</i></p> <p><i>C is not correct because both contain negative particles as well</i></p> <p><i>D is not correct because ionic compounds do not contain atoms – they contain positive ions and negative ions</i></p>

n	Answer
	<p><b>The only correct answer is A</b></p> <p><i>B is not correct because sodium chloride only conducts in the liquid state</i></p> <p><i>C is not correct because sodium conducts as a liquid</i></p> <p><i>D is not correct because sodium chloride only conducts in the liquid state</i></p>
n	Answer
	<p><b>The only correct answer is B</b></p> <p><i>A is not correct because the oxygen atoms are missing their non-bonding pairs of electrons</i></p> <p><i>C is not correct because Y is correct</i></p> <p><i>D is not correct because W and Y are correct, the oxygen atoms are missing their non-bonding pairs of electrons</i></p>
n	Answer
	<p><b>The only correct answer is A</b></p> <p><i>B is not correct because it contains 1 <math>\pi</math> bond</i></p> <p><i>C is not correct because it contains no <math>\pi</math> bonds</i></p> <p><i>D is not correct because it contains 1 or no <math>\pi</math> bonds</i></p>

n	Answer
	<p><b>The only correct answer is B</b></p> <p><i>A is not correct because it shows a 1s orbital</i></p> <p><i>C is not correct because it shows a 3s orbital</i></p> <p><i>D is not correct because it shows a 2p orbital</i></p>
n	Answer
	<p><b>The only correct answer is C</b></p> <p><i>A is not correct because it is too few</i></p> <p><i>B is not correct because it is too few</i></p> <p><i>D is not correct because it is too many</i></p>

**(TOTAL FOR SECTION A = 20**

B

	Acceptable Answers	Reject
b)	<p><b>M1</b> P is the electric field</p> <p>OR</p> <p>Electric / charged plate(s) (1)</p> <p>IGNORE</p> <p>-ve / +ve charges on the plates</p> <p><b>M2</b> To accelerate the <b>ions</b></p> <p>OR</p> <p>To get <b>ions</b> travelling in a straight line</p> <p>OR</p> <p>To get <b>ions</b> moving with the same velocity/speed (1)</p>	<p>Magnetic field</p> <p>Magnets</p> <p>To ionise</p>

	Acceptable Answers	Reject
i)	Electromagnet ALLOW (variable) Magnetic (field) / electromagnetic (field) / Magnet IGNORE Deflector Or Anything else	

	Acceptable Answers	Reject
ii)	<p><b>Any two from</b></p> <p><b>M1</b> Ions have low(er) mass/light(er) 0020 (1)</p> <p><b>M2</b> Doubly charged</p> <p>ALLOW</p> <p>High(er) charge / more ionised / lost more than 1 electron (1)</p> <p><b>M3</b> Low(er) mass to charge ratio (1)</p> <p>Ignore references to charge density / size of ions</p> <p>If no other mark is awarded, different mass <b>and</b> different charge scores 1 max</p>	

Acceptable Answers				Reject																
<table border="1"> <thead> <tr> <th>Isotope mass number</th> <th>Number of protons</th> <th>Number of neutrons</th> <th>Number of electrons</th> </tr> </thead> <tbody> <tr> <td>24</td> <td>12</td> <td>12</td> <td>12</td> </tr> <tr> <td>25</td> <td>12</td> <td>13</td> <td>12</td> </tr> <tr> <td>26</td> <td>12</td> <td>14</td> <td>12</td> </tr> </tbody> </table>				Isotope mass number	Number of protons	Number of neutrons	Number of electrons	24	12	12	12	25	12	13	12	26	12	14	12	
Isotope mass number	Number of protons	Number of neutrons	Number of electrons																	
24	12	12	12																	
25	12	13	12																	
26	12	14	12																	
All three columns correct				(2)																
Any two columns / rows correct				(1)																

	Acceptable Answers	Reject
i)	<p>(Isotopes / atoms / they / species that have the) same numbers of protons (and electrons) but different numbers of neutrons (1)</p> <p>Magnesium has 12 protons <b>and</b> at least 2 out of 12, 13 or 14 neutrons</p> <p>ALLOW Magnesium has 12 protons <b>and</b> number of neutrons increases by 1 as (isotopic) mass increases by 1 (1)</p> <p>If MP1 or MP2 not scored then allow 1 mark for</p> <p>Same atomic number, different mass / nucleon number</p>	


	Acceptable Answers	Reject
ii)	$\frac{0.786 \times 24 + 0.101 \times 25 + 0.113 \times 26}{1.000} = 24.327$ <p>= 24.33</p> <p>Numerator (1)</p> <p>Answer to <b>2</b> DP (1)</p> <p>ALLOW internal TE's</p> <p>Correct answer with no working scores 2</p> <p>IGNORE units even if incorrect</p>	24.32




	Acceptable Answers	Reject
	<p>Any two from:</p> <p>Radioactive dating / carbon dating / hydrogen dating (1)</p> <p>IGNORE Reference to specific isotopes even if incorrect e.g C-12</p> <p>Space research (1)</p> <p>Testing for (anabolic) steroids / drugs (in sport) (1)</p> <p>Identifying compounds (e.g. for possible drugs in the pharmaceutical industry)</p> <p>OR</p> <p>Determination of molecular structure/<math>M_r</math> (1)</p> <p>IGNORE</p> <p>Anything else unless a direct contradiction</p>	

(Total for Question 20 = 13)

n	Acceptable Answers	Reject
)	<p>Notice that credit can be given for the idea of two layers in any part of (a), but mark must be awarded in (a)(i)</p> <p><b>M1</b> Two layers would form (1)</p> <p><b>M2</b> Lower layer yellow / orange / brown <b>and</b> Upper layer is colourless (1)</p>	<p>Red Red-brown</p>
n	Acceptable Answers	Reject
i)	<p>The colour moves to the other layer</p> <p>IGNORE Any other information even if incorrect</p>	
n	Acceptable Answers	Reject
ii)	<p>(The yellow/orange / brown colour) would turn colourless</p> <p>ALLOW decolourises</p> <p>IGNORE Description of layers</p>	

	Acceptable Answers	Reject
)	<p><b>M1</b> </p> <p>ALLOW br</p> <p><b>M2</b> bromocyclohexane</p> <p>ALLOW</p> <p>1- bromocyclohexane</p> <p>OR</p> <p>Correct name elements in any order</p> <p>Eg cyclobromohexane</p> <p>IGNORE punctuation</p> <p><b>M2</b> depends on <b>M1</b>, but ALLOW M2 for correct name</p> <p>If C-Br bond is missing from formula</p> <p>OR</p> <p>If displayed or structural formula is drawn</p> <p>OR</p> <p>If incorrect halogen and consistent name used</p>	<p>C-Br bond missing</p> <p>(1)</p> <p>Any other number</p> <p>(1)</p>

	Acceptable Answers	Reject
i)	<p><b>M1</b> <math>\text{Br} - \text{Br} \rightarrow \text{Br}\cdot + \text{Br}\cdot</math></p> <p>OR</p> <p><math>\text{Br}_2 \rightarrow 2\text{Br}\cdot</math> (1)</p> <p><b>M2</b> Appropriate curly half-arrows (1)</p> <p>IGNORE</p> <p>UV and <math>h\nu</math></p> <p>ALLOW</p> <p>M2 for curly arrows using incorrect halogen or <math>\text{Br}-\text{OH}</math></p> <p>IGNORE</p> <p>Anything else</p>	<p>+ or – charges</p>



	Acceptable Answers	Reject
ii)	 <p>IGNORE</p> <p>Bond angles</p>	<p>H atoms</p>

Acceptable Answers	Reject
$\text{C}_6\text{H}_{12}(\text{l}) + 9\text{O}_2(\text{g}) \rightarrow 6\text{CO}_2(\text{g}) + 6\text{H}_2\text{O}(\text{l})$ <p>Left side (1)</p> <p>Right side (1)</p> <p>No / wrong state symbols 1 max</p> <p>Correct species and state symbols but no/incorrect balancing 1 max</p>	
Acceptable Answers	Reject
<p>To prevent pre-ignition / knocking / pinking/compression ignition</p> <p>OR</p> <p>(Promotes) smooth / efficient <b>burning</b></p> <p>OR</p> <p>(Promotes) smooth / efficient <b>combustion</b></p> <p>ALLOW</p> <p>High(er) octane number</p> <p>OR</p> <p>Cyclic compound</p> <p>IGNORE More branched</p>	<p>Lower octane number</p> <p>Less branched</p>

n	Acceptable Answers	Reject
)	$C_6H_{12}(g) \rightarrow 6C(g) + 12H(g)$	Multiples
n	Acceptable Answers	Reject
i)	$6 \times 347 + 12 \times 415 = (+)7062 \text{ (kJ mol}^{-1}\text{)}$ <p>(1) (1)</p> <p>Correct answer with no working scores (2)</p> <p>ALLOW</p> <p>For 1 mark (+)6715 OR -7062</p> <p>IGNORE Units</p>	(+ )7892


	Acceptable Answers	Reject
ii)	<p>(The standard enthalpy change) would be more (positive / endothermic) / higher / greater</p> <p><b>and</b></p> <p>(because) energy / heat would be needed to form gas</p> <p>OR</p> <p>energy / heat would be needed to break intermolecular forces</p> <p>OR</p> <p>Intermolecular forces are stronger in liquid</p> <p>ALLOW reverse argument</p>	break bonds

(Total for Question 21 = 16)


	Acceptable Answers	Reject
)	 <p><i>Cis-but-2-ene / Z-but-2-ene</i></p>  <p><i>Trans-but-2-ene / E-but-2-ene</i></p> <p><b>M1</b> Formulae correct</p> <p>ALLOW displayed/part displayed/structural formulae (1)</p> <p>IGNORE Incorrect connectivity of methyl groups</p> <p><b>M2</b> Names correct linked to correct orientation (1) IGNORE punctuation</p> <p>One correct formula with correct name scores 1 mark</p> <p>IGNORE</p> <p>Any additional incorrect structural / displayed / skeletal formulae</p>	



	Acceptable Answers	Reject
<b>(ii)</b>	<p>(There are two geometric isomers of but-2-ene because) there is no / restricted rotation (about the double / <math>\pi</math> bond)</p> <p>OR</p> <p>the double / <math>\pi</math> bond is formed by overlap of adjacent p-orbitals (1)</p> <p>there are (two) different groups attached to each of the double bond carbon atoms</p> <p>OR</p> <p>there is a methyl / alkyl group (and a hydrogen) on each double bond carbon (1)</p>	

	Acceptable Answers	Reject
)	 <p><b>Penalise</b> M3 for incorrect alkene used even if correct carbocation is given</p> <p><b>M1</b> Arrow from double bond to H (1)</p> <p><b>M2</b> Polarity of HBr bond <b>and</b> arrow from H of H-Br bond to Br or just beyond (1)</p> <p><b>M3</b> Carbocation (1)</p> <p><b>M4</b> lone pair on Br<sup>-</sup> <b>and</b> arrow from lone pair/negative charge on Br<sup>-</sup> to C<sup>+</sup> <b>and</b> product consistent with carbocation (1)</p> <p>IGNORE</p> <p>dipole on product unless incorrect</p>	<p>Spare bond on C<sup>+</sup> Br<sup>δ-</sup></p>

	Acceptable Answers	Reject	
(ii)	<p><b>M1</b> Atom economy with but-2-ene is 100%</p> <p>OR</p> <p>only 2-bromobutane/only one product forms from but-2-ene (1)</p> <p><b>M2</b> With but-1-ene some <b>1-bromobutane</b> forms (so it is less than 100%) (1)</p> <p>If no other mark allow but-1-ene forms more than one product for 1 max</p>		
	Acceptable Answers	Reject	
	<p>Butan-2,3-diol</p> <p>OR</p> <p>Butane-2,3-diol</p> <p>OR</p> <p>2,3-dihydroxybutane</p> <p>OR</p> <p>2,3-butandiol</p> <p>OR</p> <p>2,3-butanediol</p> <p>IGNORE formula</p> <p>IGNORE punctuation</p>	But-2,3-diol	

	Acceptable Answers	Reject
)	<div style="text-align: center;">  </div> <p>Structure of two units (1)</p> <p>Extension bonds (1)</p> <p>ALLOW</p> <p>Extension bonds for one or more than two units 1 max</p> <p>IGNORE</p> <p>Missing brackets</p> <p>Any use of letter n</p> <p>Orientations</p>	

	Acceptable Answers	Reject	
i)	They are not <b>biodegradable</b>  ALLOW  Recognisable spellings of biodegradable  Toxic fumes released when <b>burnt</b>  (Filling up) landfill  Harmful/toxic to <b>wildlife</b>  IGNORE non renewable		

	Acceptable Answers	Reject	
ii)	Recycling OR Reusing OR Using renewable (energy) sources (in their production) OR Using chemicals from plants / bio-sources OR Making polylactic acid (PLA) ALLOW Using biopolymers as alternatives OR Manufacture from recycled materials OR Using polymers as a feedstock OR Using catalysts in production		

(Total for Question 22 = 15)

	Acceptable Answers	Reject	
)	$\text{H}_2\text{SO}_4 + \text{NaNO}_3 \rightarrow \text{HNO}_3 + \text{NaHSO}_4$ <p>ALLOW multiples</p> <p>IGNORE state symbols even if incorrect</p>		
	Acceptable Answers	Reject	
i)	<p>To prevent it decomposing/reacting in <b>sunlight/UV</b></p> <p>ALLOW</p> <p>To prevent it reacting with/decomposing in light</p> <p>OR</p> <p>To shield it from (sun)light</p> <p>IGNORE</p> <p>Just 'to prevent it oxidising/reacting/decomposing/corroding'</p>		

	Acceptable Answers	Reject	
ii)	<p><b>Meaning 1</b></p> <p>Corrosive</p> <p>IGNORE burning/acidic</p> <p><b>Meaning 2</b></p> <p>Oxidising</p> <p>ALLOW oxidant/oxidising agent</p> <p><b>Meaning 3</b></p> <p>Toxic/poisonous</p> <p>ALLOW recognisable spelling eg posiones</p> <p>All three correct (2)</p> <p>Any two correct (1)</p>	<p>Irritant</p> <p>Flammable</p> <p>Harmful</p>	



	Acceptable Answers	Reject	
(iv)	<p><b>Comment</b></p> <ul style="list-style-type: none"> <li>• Scroll right down</li> <li>• Read the whole answer before marking</li> <li>• Use the highlighter to show by underlining where marks awarded</li> </ul> <p><b>M1</b> Dissolve in <b>excess</b> (concentrated) nitric acid OR nitric acid added until no more alloy dissolves (1)</p> <p><b>M2</b> Filter, (wash) and dry (1)</p> <p><b>M3</b> Weigh the alloy at the start and weigh the gold at the end (1)</p>		

	Acceptable Answers	Reject
7)	<p><math>\text{Mg(s)} + 2\text{H}^+(\text{aq}) \rightarrow \text{Mg}^{2+}(\text{aq}) + \text{H}_2(\text{g})</math></p> <p>Left side (1)                      Right side (1)</p> <p>Fully correct but with no/wrong state symbols 1max</p> <p>ALLOW fully correct ionic equation with <math>\text{NO}_3^-(\text{aq})</math> on both sides for 1 max</p> <p>ALLOW fully correct overall equation with state symbols for 1 max</p> <p>ALLOW fully correct state symbols and ionic equation for formation of <math>\text{Mg}^+</math> for 1 max</p> <p><math>2\text{Mg(s)} + 2\text{H}^+(\text{aq}) \rightarrow 2\text{Mg}^+(\text{aq}) + \text{H}_2(\text{g})</math></p> <p>OR</p> <p>fully correct state symbols and ionic equation as below for 1 max</p> <p><math>\text{Mg(s)} + \text{H}^+(\text{aq}) \rightarrow \text{Mg}^{2+}(\text{aq}) + \frac{1}{2}\text{H}_2(\text{g})</math></p> <p>ALLOW multiples</p>	

	Acceptable Answers	Reject	M
<b>(i)</b>	$\Delta H_f[\text{NO}_3^-(\text{g})] = -124 - (-832) - 285 - 731$ $= -308 \text{ (kJ mol}^{-1}\text{)}$ <p>Correct answer no working</p> <p>ALLOW for 1 mark (+)308</p> <p>Lose 1 mark per error if working clear. Ignore units</p>		

	Acceptable Answers	Reject
(ii)	<p><b>Route A</b></p> <p><b>M1</b> Silver nitrate is (almost completely) ionic (1)</p> <p><b>M2</b> Because there is reasonable agreement (1)</p> <p>OR</p> <p><b>Route B</b></p> <p><b>M1</b> Nitrate ions are slightly polarized</p> <p>OR</p> <p>silver nitrate has (slight) covalent character/slight covalent bonding (1)</p> <p><b>M2</b> Because the Born Haber lattice energy is (slightly) more <b>negative/exothermic</b> than the theoretical lattice energy. (1)</p>	<p>Silver ion is (slightly) Polarized</p> <p>Covalent <b>bonds</b></p>

n r )	Acceptable Answers	Reject
	<p>So silver nitrate/ions will dissolve (onto the skin)</p> <p>ALLOW</p> <p>Nitrate is soluble / nitrates are soluble</p> <p>OR</p> <p>Silver (ions) dissolve / soluble</p> <p>OR</p> <p>It is soluble / dissolves</p> <p>OR</p> <p>(Water) acts as a solvent / to form a solution / ions in aqueous state</p> <p>IGNORE</p> <p>To dilute the silver nitrate only</p> <p>Any additional information even if dubious/incorrect unless a clear contradiction</p> <p>For example:</p> <p>Water is needed to react</p> <p>OR</p> <p>Water absorbs the heat of the reaction</p> <p>OR</p> <p>It makes it easier to rub (the skin)</p>	

		Reject	
i)	$\frac{20 \times 0.95}{169.9} = 0.112/0.11/0.111830488 \text{ (mol)}$ <p>(1)                      (1)</p> <p>Correct answer, no working (2)</p> <p>IGNORE SF except 1SF</p> <p>Penalise second mark for: incorrect rounding eg 0.111, 0.12 etc OR incorrect unit e.g. g</p> <p>incorrect scaling can still score TE for division of their mass by 169.9. Example values are 0.1239 and 0.1177</p>		

(Total for question 23 = 16)

TOTAL FOR PAPER = 80

