Past Paper

This resource was created and owned by Pearson Edexcel

WFM01

Surname	Other na	ames
Pearson Edexcel International Advanced Level	Centre Number	Candidate Number
Further Pu Mathemat	tics F1	
Advanced/Advance	d Subsidiary	
Friday 19 May 2017 – Morn Time: 1 hour 30 minutes		Paper Reference WFM01/01

Candidates may use any calculator allowed by the regulations of the Joint Council for Qualifications. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B). Coloured pencils and highlighter pens must not be used.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
 there may be more space than you need.
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- When a calculator is used, the answer should be given to an appropriate degree of accuracy.

Information

- The total mark for this paper is 75.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶







The quadratic equation

$$3x^2 - 5x + 1 = 0$$


has roots α and β .

Without solving the quadratic equation, find the exact value of

$$\frac{\alpha}{\beta} + \frac{\beta}{\alpha}$$

(4)





				ШШ							
Р	4	8	2	5	8	Α	0	3	2	8	

(Total 4 marks)

3

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Given that

$$\mathbf{A} = \begin{pmatrix} 3 & 1 & -2 \\ -1 & 0 & 5 \end{pmatrix} \text{ and } \mathbf{B} = \begin{pmatrix} 2 & 4 \\ -k & 2k \\ 3 & 0 \end{pmatrix}, \text{ where } k \text{ is a constant}$$

(a) find the matrix AB,

(2)

(b) find the exact value of k for which $det(\mathbf{AB}) = 0$

(2)

(Total 4 marks)

■ Past Paper

Leave blank

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

3.	Prove by	induction	that	for <i>n</i>	\in	\mathbb{Z}^+

$$\sum_{r=1}^{n} \frac{2}{r(r+1)(r+2)} = \frac{1}{2} - \frac{1}{(n+1)(n+2)}$$

(5)

	www.mystudybro.com This resource was created and owned by Pearson Edexcel	
Question 3 continu	ued	



DO NOT WRITE IN THIS AREA

The rectangular hyperbola H has parametric equations

$$x = 4t, \ y = \frac{4}{t}$$

The straight line with equation 3y - 2x = 10 intersects H at the points A and B.

Given that the point A is above the x-axis,

(a) find the coordinates of the point A and the coordinates of the point B.

(5)

(b) Find the coordinates of the midpoint of AB.

(2)

	ı	
	ı	
	ı	
	ı	
	ı	
	ı	
	ı	
	ı	
	ı	
	ı	
	ı	
	ı	
	1	
	1	



mmer 2017 Paper This	www.mystudybro.com s resource was created and owned by Pearson Edexcel	Mathema
Question 4 continued		



(Total 7 marks)

DO NOT WRITE IN THIS AREA

Past Paper

 $f(x) = 30 + \frac{7}{\sqrt{x}} - x^5,$ x > 05.

The only real root, α , of the equation f(x) = 0 lies in the interval [2, 2.1].

(a) Starting with the interval [2, 2.1], use interval bisection twice to find an interval of width 0.025 that contains α .

(4)

(b) Taking 2 as a first approximation to α , apply the Newton-Raphson process once to f(x) to find a second approximation to α , giving your answer to 2 decimal places.

(5)

DO NOT WRITE IN THIS AREA

mmer 2017 t Paper T	www.mystudybro.com This resource was created and owned by Pearson Edexcel	Mathematics WF
		Le bl:
Question 5 continued		
		Q



(Total 9 marks)

(a) Use the standard results for $\sum_{r=1}^{n} r^2$ and for $\sum_{r=1}^{n} r^3$ to show that, for all positive integers n,

Leave blank

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

$$\sum_{r=1}^{n} r^{2}(r+1) = \frac{n}{a}(n+1)(n+2)(3n+b)$$

where a and b are integers to be found.

(4)

(b) Hence find the value of

$$\sum_{r=25}^{49} (r^2(r+1)+2) \tag{4}$$

-	
	_
	_
-	
-	
-	
	_
	_
	_
	_

	Ш					Ш		
						Ш		Ш
	Ш							Ш
					Λ .			

(Total 8 marks)

7.

$$f(z) = z^4 + 4z^3 + 6z^2 + 4z + a$$

where a is a real constant.

Given that 1 + 2i is a complex root of the equation f(z) = 0

(a) write down another complex root of this equation.

(1)

- (b) (i) Hence, find the other roots of the equation f(z) = 0
 - (ii) State the value of a.

(7)

(Total 8 marks)

15

■ Past Paper

The parabola C has cartesian equation $y^2 = 36x$. The point $P(9p^2, 18p)$, where p is a positive constant, lies on C.

Leave blank

(a) Using calculus, show that an equation of the tangent to C at P is

$$py - x = 9p^2 \tag{4}$$

This tangent cuts the directrix of C at the point A(-a, 6), where a is a constant.

(b) Write down the value of a.

(1)

(c) Find the exact value of p.

(3)

(d) Hence find the exact coordinates of the point P, giving each coordinate as a simplified surd.

(3)

-
Ĭ
~
⋖
S
=
亡
_
ш
느
α
\geq
Ö
ž
$\overline{}$
\approx

nmer 2017 Paper	www.mystudybro.com This resource was created and owned by Pearson Edexcel	Mathematics Wi
		L b
Question 8 continued		



www.mystudybro.com

Mathematics F

Julillier 2017	www.mystudybro.com	Mathernatics F
Past Paper	This resource was created and owned by Pearson Edexcel	WFM0

	Leave	
	blank	
Question 8 continued		ı
		ı
		Ĺ

nmer 2017 Paper	www.mystudybro.com This resource was created and owned by Pearson Edexcel	Mathematics Wi
•	,	L
Question 8 continued		b



(Total 11 marks)

9.

$$z = \frac{1}{5} - \frac{2}{5}i$$

(a) Find the modulus and the argument of z, giving the modulus as an exact answer and giving the argument in radians to 2 decimal places.

(3)

Given that

$$zw = \lambda i$$

where λ is a real constant,

(b) find w in the form a + ib, where a and b are real. Give your answer in terms of λ .

(3)

- (c) Given that $\lambda = \frac{1}{10}$
 - (i) find $\frac{4}{3}(z+w)$,
 - (ii) plot the points A, B, C and D, representing z, zw, w and $\frac{4}{3}(z+w)$ respectively, on a single Argand diagram.

(4)

	Leave blank
Question 9 continued	Dialik

Past Paper

	Leave blank
Question 9 continued	



(Total 10 marks)

Leave blank

DO NOT WRITE IN THIS AREA

Past Paper

10. In your answers to this question, the elements of each matrix should be expressed in exact form in surds where necessary.

The transformation U, represented by the 2×2 matrix P, is a rotation through 45° anticlockwise about the origin.

(a) Write down the matrix **P**.

(1)

The transformation V, represented by the 2×2 matrix Q, is a rotation through 60° anticlockwise about the origin.

(b) Write down the matrix **Q**.

(1)

The transformation U followed by the transformation V is the transformation T. The transformation T is represented by the matrix \mathbf{R} .

(c) Use your matrices from parts (a) and (b) to find the matrix **R**.

(3)

(d) Give a full geometric description of T as a single transformation.

(2)

(e) Deduce from your answers to parts (c) and (d) that $\sin 75^\circ = \frac{1+\sqrt{3}}{2\sqrt{2}}$ exact value of cos 75°, explaining your answers fully.

(2)



Past Paper	This resource was created and owned by Pearson Edexcel	WFM0
Question 10	continued	Leave blank
	continucu	
AREA		
S S S S S S S S S S S S S S S S S S S		
DO NOT WRITE IN THIS		
ਜ਼		
X		
0 0		
AREA		
ZHI		
NOT WRITE IN		
4		
ARE		
MS.		
E		
<u> </u>		
DO NOT WRITE IN THIS AREA		
00		
		I

Sulliller 2017	www.iiiyStudybio.com	Maniemancs F
Past Paper	This resource was created and owned by Pearson Edexcel	WFM0

	DC
	DO NOT WE
	RITEINTI
	WRITE IN THIS AREA
	DO NOT V
	WRITE IN THIS AR
	THIS AR

			8
ĸ	á	ø	ø
	3	3	þ
4	Ę	Ę	4
	9	P	٩
ø	ø	Ę	ø
=			ŧ
-		i	
Ξ			1
ľ	٦	г	1
=	۱	3	P
ď		=	
=			4
			1
	1	Г	ī
Ξ			
			=
Ç	d	P	1
-			
۹	þ		
d	ŀ	ø	3
Ē	į	ė	٠
ø	ø	ŀ	d
P	۹	ľ	٩
L	ł	۰	•
٦		9	9
ø		-	

Question 10 continued	blank
Question to continued	

mmer 2017 t Paper	www.mystudybro.com This resource was created and owned by Pearson Edexcel	Mathematics F1 WFM0
	·	Leave
Question 10 cont	inued	blank



mer 2017 Paper	www.mystudybro.com This resource was created and owned by Pearson Edexcel	Mathematics F
		Leav blan
Question 10 conti	inued	bian
C		

Q10

(Total 9 marks)

TOTAL FOR PAPER: 75 MARKS

END

