

Write your name here

Surname	Other names
---------	-------------

Pearson Edexcel
International
Advanced Level

Centre Number	Candidate Number
<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>

Chemistry
Advanced Subsidiary
Unit 2: Application of Core Principles of Chemistry

Friday 25 May 2018 – Morning Time: 1 hour 30 minutes	Paper Reference WCH02/01
---------------------------------------------------------	------------------------------------

Candidates must have: Scientific calculator	Total Marks
---------------------------------------------	-------------

Instructions

- Use **black** ink or **black** ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided – *there may be more space than you need.*

Information

- The total mark for this paper is 80
- The marks for **each** question are shown in brackets – *use this as a guide as to how much time to spend on each question.*
- Questions labelled with an **asterisk** (*) are ones where the quality of your written communication will be assessed – *you should take particular care with your spelling, punctuation and grammar, as well as the clarity of expression, on these questions.*
- A Periodic Table is printed on the back cover of this paper.

Advice

- Read each question carefully before you start to answer it.
- Check your answers if you have time at the end.
- Show all your working in calculations and give units where appropriate.

Turn over ►

P51600A

©2018 Pearson Education Ltd.

5/4/5/2/1/



SECTION A

Answer ALL the questions in this section. You should aim to spend no more than 20 minutes on this section. For each question, select one answer from A to D and put a cross in the box . If you change your mind, put a line through the box and then mark your new answer with a cross .

1 Which species does **not** have a trigonal pyramidal structure?

- A AlCl_3
 B NH_3
 C H_3O^+
 D PCl_3

(Total for Question 1 = 1 mark)

2 Which molecule contains three atoms in a straight line?

- A BF_3
 B CH_4
 C H_2O
 D SF_6

(Total for Question 2 = 1 mark)

3 Which compound has the greatest ionic character?

- A Sodium bromide
 B Sodium chloride
 C Sodium fluoride
 D Sodium iodide

(Total for Question 3 = 1 mark)

Use this space for any rough working. Anything you write in this space will gain no credit.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



- 4 Which best represents the position of the bonding pair of electrons and the dipole of hydrogen chloride?

	Position of bonding electrons	Dipole
<input type="checkbox"/> A	H—:Cl	δ^+ δ^- H—Cl
<input type="checkbox"/> B	H:—Cl	δ^+ δ^- H—Cl
<input type="checkbox"/> C	H—:Cl	δ^- δ^+ H—Cl
<input type="checkbox"/> D	H:—Cl	δ^- δ^+ H—Cl

(Total for Question 4 = 1 mark)

- 5 When a system is at equilibrium, it is **always** true that

- A molecules of reactants stop changing into molecules of products.
- B the concentrations of reactants and products are equal.
- C the concentrations of reactants and products are constant.
- D the activation energies of the forward and reverse reactions are equal.

(Total for Question 5 = 1 mark)

- 6 An oxidising agent

- A gains electrons and is oxidised.
- B loses electrons and is oxidised.
- C gains electrons and is reduced.
- D loses electrons and is reduced.

(Total for Question 6 = 1 mark)


- 7 Which trend is correct for the Group 2 metals as the atomic number **increases**?

- A The atomic radius decreases.
- B The electronegativity increases.
- C The first ionisation energy decreases.
- D The thermal stability of their nitrates decreases.

(Total for Question 7 = 1 mark)



8 Consider the following reaction profile.



The activation energy of the forward reaction has a value of

- A X minus Y.
- B Y minus X.
- C Y minus Z.
- D Z minus Y.

(Total for Question 8 = 1 mark)

Use this space for any rough working. Anything you write in this space will gain no credit.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



- 9 A white solid gives a lilac flame colour. The solid reacts with water, forming a strongly alkaline solution.

The solid could be

- A calcium oxide.
- B potassium oxide.
- C calcium chloride.
- D potassium chloride.

(Total for Question 9 = 1 mark)

- 10 Which of the following is an isomer of 2,2-dimethylpentan-1-ol?

- A $\text{CH}_3\text{CH}_2\text{CH}_2\text{CH}(\text{CH}_3)\text{CH}_2\text{OH}$
- B $(\text{CH}_3)_3\text{CCH}(\text{CH}_3)\text{CH}_2\text{OH}$
- C $\text{CH}_3\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{OH}$
- D $(\text{CH}_3)_2\text{CHC}(\text{CH}_3)_2\text{CH}_2\text{CH}_2\text{OH}$

(Total for Question 10 = 1 mark)

- 11 Which of the following hydroxides is the most soluble in water?


- A Barium hydroxide
- B Calcium hydroxide
- C Magnesium hydroxide
- D Strontium hydroxide

(Total for Question 11 = 1 mark)

Use this space for any rough working. Anything you write in this space will gain no credit.



- 12 Under suitable conditions, a mixture of carbon monoxide and hydrogen reacts to form water and a mixture of hydrocarbons.



What is the general formula for the hydrocarbons produced?

- A $\text{C}_n\text{H}_{2n-2}$
- B C_nH_{2n}
- C $\text{C}_n\text{H}_{2n+1}$
- D $\text{C}_n\text{H}_{2n+2}$


(Total for Question 12 = 1 mark)

- 13 A protective layer of ozone, O_3 , exists in the atmosphere. This protection mainly arises from ozone's ability to

- A absorb ultraviolet radiation.
- B reflect ultraviolet radiation.
- C break down chlorofluorocarbons.
- D reflect chlorofluorocarbons.

(Total for Question 13 = 1 mark)

- 14 Consider the following equation.



What value of n is required to balance the above equation?

- A 4
- B 5
- C 6
- D 7

(Total for Question 14 = 1 mark)

- 15 The conversion of butanoic acid into butan-1-ol is an example of

- A elimination.
- B substitution.
- C oxidation.
- D reduction.

(Total for Question 15 = 1 mark)


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



- 16 Compound X forms compound Y in the reaction shown in the equation.
No knowledge of this reaction is required.



What mass of compound X is required to produce 8.4 g of compound Y, if the yield is 40%?

[Molar masses / g mol⁻¹: C₇H₆O₃ = 138 C₉H₈O₄ = 180]





- A 3.4 g
- B 6.4 g
- C 16.1 g
- D 21.0 g

(Total for Question 16 = 1 mark)

Use this space for any rough working. Anything you write in this space will gain no credit.



17 Which alcohol can be oxidised by acidified potassium dichromate(VI) to form a ketone?



(Total for Question 17 = 1 mark)

18 An experiment requires 500 cm^3 of a solution with a **nitrate** ion concentration of $0.100 \text{ mol dm}^{-3}$.

This is prepared by diluting a $0.250 \text{ mol dm}^{-3}$ calcium nitrate solution, $\text{Ca}(\text{NO}_3)_2(\text{aq})$, with water.

What volume of this calcium nitrate solution will be needed?

- A 50 cm^3
- B 100 cm^3
- C 200 cm^3
- D 400 cm^3

(Total for Question 18 = 1 mark)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



19 A mass of 1.60 g of an anhydrous metal sulfate was dissolved in water.

Addition of excess barium chloride solution resulted in the precipitation of 2.33 g of barium sulfate.

[Molar mass of $\text{BaSO}_4 = 233 \text{ g mol}^{-1}$]

The original substance could be

- A calcium sulfate.
- B copper(II) sulfate.
- C magnesium sulfate.
- D sodium sulfate.

(Total for Question 19 = 1 mark)

20 The concentration of a solution of iodine can be determined by titration with a solution of sodium thiosulfate.

The sulfur-containing **product** of this reaction is

- A $\text{Na}_2\text{S}_2\text{O}_3$
- B $\text{Na}_2\text{S}_4\text{O}_6$
- C Na_2SO_3
- D $\text{Na}_2\text{S}_2\text{O}_8$

(Total for Question 20 = 1 mark)

TOTAL FOR SECTION A = 20 MARKS



SECTION B

Answer ALL the questions. Write your answers in the spaces provided.

21 This question is about the chemistry of Group 7.

- (a) Silver nitrate solution is added to an aqueous solution containing two different halide ions. A mixture of two different precipitates, **A** and **B**, is formed. When concentrated ammonia solution is then added, precipitate **A** remains and precipitate **B** dissolves completely.

(i) Identify, by name or formula, the halide ion in **A**. (1)

(ii) Identify, by name or formula, **one** possible halide ion in **B**. (1)

(iii) Write an **ionic** equation, including state symbols, for the formation of precipitate **A**. (2)

- (b) Concentrated sulfuric acid is added to solid potassium chloride.

A reaction occurs in which steamy fumes are formed.

(i) Give the **formula** of the steamy fumes. (1)

(ii) Write an equation for this reaction. State symbols are not required. (1)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(c) When concentrated sulfuric acid is added to solid potassium bromide, a redox reaction occurs. A mixture of products is formed, including sulfur dioxide as the **only** reduction product.

(i) Give the oxidation number of sulfur in (2)

sulfuric acid.....

sulfur dioxide.....

(ii) Complete the **ionic** equation for this redox reaction.

State symbols are not required. (2)



(d) When concentrated sulfuric acid is added to solid potassium iodide, a redox reaction occurs producing two reduction products other than sulfur dioxide.

Identify these two **reduction** products. In each case, give an observation that indicates the presence of the product.

(4)

First reduction product.....

Observation.....

Second reduction product.....

Observation.....

(Total for Question 21 = 14 marks)



22 Hydromagnesite is a mineral containing magnesium carbonate.

A student crushed some hydromagnesite and added a sample of mass 0.936 g to excess dilute hydrochloric acid.


(a) Give a reason why the mineral was crushed before being added to the acid. (1)

.....

.....

(b) Write the equation for the reaction between magnesium carbonate and dilute hydrochloric acid. Include state symbols in your equation. (2)

(c) The gas formed in the reaction was collected in a gas syringe. The volume of gas was measured at regular intervals for 6 minutes. A graph of the student's results is shown.



Describe the changes in the rate of reaction during the experiment. Explain these changes in terms of collisions. (3)

.....

.....

.....

.....

.....

.....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



- (d) (i) Use information from the graph to calculate the number of moles of magnesium carbonate that reacted with the dilute hydrochloric acid.

[The molar volume of a gas = $24\,000\text{ cm}^3\text{ mol}^{-1}$ under the conditions of the experiment.]

(2)

- (ii) Calculate the mass of magnesium carbonate that reacted and hence the percentage by mass of magnesium carbonate in the hydromagnesite.

(2)

Mass of magnesium carbonate = g

Percentage by mass of magnesium carbonate = %

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA




DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(e) Another student decided to carry out a similar experiment. This student did not have a gas syringe and therefore collected the carbon dioxide over water in an inverted measuring cylinder, as shown in the diagram.



Explain the effect that collecting the carbon dioxide over water would have on the volume of gas collected and hence on the percentage of magnesium carbonate in hydromagnesite. Assume that the gas syringe and the measuring cylinder can be read to the same accuracy.

(2)

.....

.....

.....

.....

.....

.....

.....


.....

(Total for Question 22 = 12 marks)



23 This question is about chemical equilibrium.

- (a) The gases nitrogen dioxide, NO_2 and dinitrogen tetroxide, N_2O_4 form an equilibrium mixture at room temperature.



- * (i) A gas syringe containing an equilibrium mixture of these gases is compressed by pushing in the plunger and then allowed to stand with the plunger in the new position.

Predict how the **appearance** of the equilibrium mixture would change during this procedure.

Justify your answer.

(3)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- (ii) State and explain the effect of an increase in temperature on this equilibrium.

(1)

.....

.....

.....




DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

- * (b) When potassium dichromate(VI), $K_2Cr_2O_7$, is dissolved in water, an equilibrium is set up. The position of the equilibrium is well to the left and the solution is an orange colour.



Aqueous alkali is added and the solution turns a yellow colour.

Explain this observation.

(2)

(Total for Question 23 = 6 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



24 This question is about the reactions and properties of 1-bromobutane.

(a) 1-bromobutane can be converted into butan-1-ol in a one-step reaction.

(i) State the reagents and conditions required for this reaction.

(2)

Reagents: Conditions:

(ii) Draw the mechanism for this reaction.

Include curly arrows, and relevant dipoles and lone pairs.

(4)

(b) Explain why 1-bromobutane is much less soluble in water than in butan-1-ol.
A detailed description of the forces involved is not required.

(3)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(Total for Question 24 = 9 marks)

TOTAL FOR SECTION B = 41 MARKS





SECTION C

Answer ALL the questions. Write your answers in the spaces provided.

- 25 Organic compounds can be analysed using physical methods such as mass spectrometry and infrared spectroscopy, chemical tests and quantitative measurements.

The mass spectrum and infrared spectrum of ethanol, C_2H_5OH , are shown.



Some infrared data are given in the table below.

Bond stretching vibration	Wavenumber / cm^{-1}
C—H, alkane	2962–2853
C—H, alkene	3100–3010
O—H (weak), carboxylic acids	3300–2500
O—H (broad), alcohols	3750–3200

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



- (a) (i) State what can be deduced about ethanol from the presence of the peak at $m/e = 46$ in the mass spectrum. (1)

- (ii) Identify the species responsible for the peak at $m/e = 31$ in the mass spectrum of ethanol, and state how it is formed. (2)

- (iii) Identify **one** feature of the infrared spectrum which confirms the functional group in ethanol. (1)
Include the appropriate wavenumber range in your answer.

- (b) Chemical tests are often used to identify functional groups in organic molecules. (2)
*(i) Explain the meaning of the term **functional group**.



- (ii) The reaction of sodium metal with ethanol can be used to confirm the presence of the functional group in ethanol.

Give the equation for the reaction of sodium with ethanol. State symbols are not required.

(2)

- (c) A carboxylic acid **E** was investigated by quantitative and qualitative methods. **E** was known to have one of the following structures:

Structure 1 $\text{CH}_3\text{CH}_2\text{CH}=\text{CHCOOH}$ Molar mass = 100 g mol^{-1}

Structure 2 $\text{HOOCCH}_2\text{CH}_2\text{COOH}$ Molar mass = 118 g mol^{-1}

A sample of 1.20 g of **E** was burned in excess oxygen.

A mass of 1.79 g of carbon dioxide was formed.

- (i) Calculate the mass of carbon present in the sample of **E**.

(2)

Mass of carbon = g

- (ii) The mass of hydrogen present in the sample is 0.0610 g.

Deduce the mass of oxygen in the sample.

(1)

Mass of oxygen = g

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(iii) Use the information from parts (c)(i) and (c)(ii) to calculate the empirical formula of **E**.

(2)

(iv) Deduce the identity of **E**. Give a reason for your answer by referring to the information at the start of (c) and your answer to (c)(iii).

(1)

(v) Describe a **qualitative** chemical test that would distinguish between Structure **1** and Structure **2**. State the expected results.

(2)

Test:.....

Results for Structure **1**:.....

Results for Structure **2**:.....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(vi) Draw the **displayed** formula of a compound that can be oxidised to form Structure 2.

(1)

*(vii) Explain why a molecule of Structure 1 can show geometric isomerism.

(2)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(Total for Question 25 = 19 marks)

TOTAL FOR SECTION C = 19 MARKS
TOTAL FOR PAPER = 80 MARKS

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE



P 5 1 6 0 0 A 0 2 3 2 4

The Periodic Table of Elements

		1		2		3										4		5		6		7		0 (8)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
		(1)		(2)		(3)										(4)		(5)		(6)		(7)		(8)		(9)		(10)		(11)		(12)		(13)		(14)		(15)		(16)		(17)		(18)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
		relative atomic mass		atomic symbol		atomic symbol										atomic symbol		atomic symbol		atomic symbol		atomic symbol		atomic symbol		atomic symbol		atomic symbol		atomic symbol		atomic symbol		atomic symbol		atomic symbol		atomic symbol		atomic symbol		atomic symbol		atomic symbol																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
		name		name		name										name		name		name		name		name		name		name		name		name		name		name		name		name		name		name																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
		atomic (proton) number		atomic (proton) number		atomic (proton) number										atomic (proton) number		atomic (proton) number		atomic (proton) number		atomic (proton) number		atomic (proton) number		atomic (proton) number		atomic (proton) number		atomic (proton) number		atomic (proton) number		atomic (proton) number		atomic (proton) number		atomic (proton) number		atomic (proton) number		atomic (proton) number																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
6.9	Li	lithium	3	9.0	Be	beryllium	4	23.0	Na	sodium	11	24.3	Mg	magnesium	12	39.1	K	potassium	19	40.1	Ca	calcium	20	45.0	Sc	scandium	21	47.9	Ti	titanium	22	47.9	Ti	titanium	22	50.9	V	vanadium	23	52.0	Cr	chromium	24	54.9	Mn	manganese	25	55.8	Fe	iron	26	58.9	Co	cobalt	27	58.9	Co	cobalt	27	58.7	Ni	nickel	28	63.5	Cu	copper	29	65.4	Zn	zinc	30	69.7	Ga	gallium	31	72.6	Ge	germanium	32	72.6	Ge	germanium	32	74.9	As	arsenic	33	79.0	Se	selenium	34	79.0	Se	selenium	34	79.9	Br	bromine	35	79.9	Br	bromine	35	83.8	Kr	krypton	36	83.8	Kr	krypton	36	85.5	Rb	rubidium	37	87.6	Sr	strontium	38	88.9	Y	yttrium	39	88.9	Y	yttrium	39	91.2	Zr	zirconium	40	91.2	Zr	zirconium	40	92.9	Nb	niobium	41	95.9	Mo	molybdenum	42	95.9	Mo	molybdenum	42	98	Tc	technetium	43	101.1	Ru	ruthenium	44	101.1	Ru	ruthenium	44	102.9	Rh	rhodium	45	102.9	Rh	rhodium	45	106.4	Pd	palladium	46	106.4	Pd	palladium	46	107.9	Ag	silver	47	107.9	Ag	silver	47	112.4	Cd	cadmium	48	112.4	Cd	cadmium	48	114.8	In	indium	49	114.8	In	indium	49	118.7	Sn	tin	50	118.7	Sn	tin	50	121.8	Sb	antimony	51	121.8	Sb	antimony	51	126.9	Te	tellurium	52	126.9	Te	tellurium	52	131.3	Xe	xenon	54	131.3	Xe	xenon	54	132.9	Cs	caesium	55	137.3	Ba	barium	56	138.9	La*	lanthanum	57	138.9	La*	lanthanum	57	178.5	Hf	hafnium	72	178.5	Hf	hafnium	72	180.9	Ta	tantalum	73	180.9	Ta	tantalum	73	183.8	W	tungsten	74	183.8	W	tungsten	74	186.2	Re	rhenium	75	186.2	Re	rhenium	75	190.2	Os	osmium	76	190.2	Os	osmium	76	192.2	Ir	iridium	77	192.2	Ir	iridium	77	195.1	Pt	platinum	78	195.1	Pt	platinum	78	197.0	Au	gold	79	197.0	Au	gold	79	200.6	Hg	mercury	80	200.6	Hg	mercury	80	204.4	Tl	thallium	81	204.4	Tl	thallium	81	207.2	Pb	lead	82	207.2	Pb	lead	82	209.0	Bi	bismuth	83	209.0	Bi	bismuth	83	209.0	Po	polonium	84	209.0	Po	polonium	84	210	At	astatine	85	210	At	astatine	85	222	Rn	radon	86	222	Rn	radon	86	223	Fr	francium	87	226	Ra	radium	88	227	Ac*	actinium	89	227	Ac*	actinium	89	261	Rf	rutherfordium	104	261	Rf	rutherfordium	104	262	Db	dubnium	105	262	Db	dubnium	105	266	Sg	seaborgium	106	266	Sg	seaborgium	106	264	Bh	bohrium	107	264	Bh	bohrium	107	268	Mt	meitnerium	109	268	Mt	meitnerium	109	271	Ds	darmstadtium	110	271	Ds	darmstadtium	110	272	Rg	roentgenium	111	272	Rg	roentgenium	111	140	Ce	cerium	58	141	Pr	praseodymium	59	141	Pr	praseodymium	59	144	Nd	neodymium	60	144	Nd	neodymium	60	147	Pm	promethium	61	147	Pm	promethium	61	150	Sm	samarium	62	150	Sm	samarium	62	152	Eu	europium	63	152	Eu	europium	63	157	Gd	gadolinium	64	157	Gd	gadolinium	64	159	Tb	terbium	65	159	Tb	terbium	65	163	Dy	dysprosium	66	163	Dy	dysprosium	66	165	Ho	holmium	67	165	Ho	holmium	67	167	Er	erbium	68	167	Er	erbium	68	169	Tm	thulium	69	169	Tm	thulium	69	173	Yb	ytterbium	70	173	Yb	ytterbium	70	175	Lu	lutetium	71	175	Lu	lutetium	71	232	Th	thorium	90	231	Pa	protactinium	91	231	Pa	protactinium	91	238	U	uranium	92	238	U	uranium	92	237	Np	neptunium	93	237	Np	neptunium	93	242	Pu	plutonium	94	242	Pu	plutonium	94	243	Am	americium	95	243	Am	americium	95	247	Cm	curium	96	247	Cm	curium	96	251	Cf	californium	98	251	Cf	californium	98	254	Es	einsteinium	99	254	Es	einsteinium	99	253	Fm	fermium	100	253	Fm	fermium	100	256	Md	meitnerium	101	256	Md	meitnerium	101	254	No	nobelium	102	254	No	nobelium	102	257	Lr	lawrencium	103	257	Lr	lawrencium	103

Elements with atomic numbers 112-116 have been reported but not fully authenticated

* Lanthanide series
* Actinide series

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

